



Canon EOS 2000D + EF-S 18-55mm f/3.5-5.6 IS II + EF 75-300mm f/4-5.6 III SLR Camera Kit 24.1 MP CMOS 6000 x 4000 pixels Black

Brand : Canon

Product family: EOS

Product code: 2728C017

Product name : 2000D + EF-S

18-55mm f/3.5-5.6 IS II + EF

75-300mm f/4-5.6 III

CMOS, 6000x4000px, 24.7 MP, 3" LCD, 129x77.6x101.3mm, 475g, Black + EF-S 18-55mm f/3.5-5.6 IS II + EF 75-300mm f/4-5.6 III

Canon EOS 2000D + EF-S 18-55mm f/3.5-5.6 IS II + EF 75-300mm f/4-5.6 III. Camera type: SLR Camera Kit, Megapixel (approx.): 24.1 MP, Sensor type: CMOS, Maximum image resolution: 6000 x 4000 pixels. ISO sensitivity (max): 12800. Focal length range: 75 - 300 mm. Fastest camera shutter speed: 1/4000 s. Wi-Fi. HD type: Full HD, Maximum video resolution: 1920 x 1080 pixels. Display diagonal: 7.62 cm (3"). Viewfinder type: Optical. PictBridge. Weight: 475 g. Product colour: Black



Picture quality		Display	
Camera type *	SLR Camera Kit	Display *	LCD
Megapixel (approx.) *	24.1 MP	Display diagonal *	7.62 cm (3")
Sensor type *	CMOS	Display diagonal (metric)	7.5 cm
Maximum image resolution *	6000 x 4000 pixels	Display resolution (numeric)	920000 pixels
Still image resolution(s) *	6000 x 4000, 3984 x 2656, 2976 x 1984, 1920 x 1280, 720 x 480, 5328 x 4000, 3552 x 2664, 2656 x 1992,	Display aspect ratio	4:3
	1696 x 1280, 640 x 480, 6000 x 3368, 3984 x 2240, 2976 x 1680,	Field of view	100%
	1920 x 1080, 720 x 408, 4000 x 4000, 2656 x 2656, 1984 x 1984,	Viewfinder	
	1280 x 1280, 480 x 480	Viewfinder type	Optical
Image stabilizer *	✓	Magnification	0.8x
Image stabilizer location	Lens	Ports & interfaces	
Supported aspect ratios	1:1, 3:2, 4:3, 16:9	PictBridge *	✓
Total megapixels	24.7 MP	USB version *	2.0
Image sensor size (W x H)	22.3 x 14.9 mm	HDMI *	✓
Sensor format	Advanced Photo System type-C (APS-C)	HDMI connector type	Mini
Image formats supported *	JPEG	USB port	✓
Lens system		Network	
Focal length range	75 - 300 mm	Wi-Fi *	✓
Lens structure (elements/groups)	13/9	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Filter size	58 mm	Near Field Communication (NFC) *	✓
Lens mount interface	Canon EF, Canon EF-S	Camera	
Focusing		White balance *	Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Shade, Tungsten
Focus *	TTL	Scene modes *	Close-up (macro), Food, Night portrait, Portrait, Sports, Landscape
Focus adjustment *	Auto/Manual	Shooting modes *	Auto
Auto focusing (AF) modes *	Contrast Detection Auto Focus, One Shot Focus, Servo Auto Focus	Photo effects *	Neutral
Closest focusing distance	1.5 m	Self-timer delay *	2,10 s
Auto Focus (AF) points	9	Camera playback	Slide show
Auto Focus (AF) points selection	Auto, Manual	Dioptrre correction	✓
Auto Focus (AF) lock	✓	Dioptr adjustment (D-D)	-2.5 - 0.5

Focusing		Camera	
Auto Focus (AF) assist beam	✓	Playback zoom (max)	10x
Exposure		Languages support	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Ukrainian
ISO sensitivity (min) *	100		
ISO sensitivity (max) *	12800		
ISO sensitivity	100, 6400, 12800		
Light exposure modes *	Aperture priority AE, Manual, Shutter priority AE	Histogram	✓
Light exposure control	Program AE	Live view	✓
Light exposure correction *	± 5EV (1/2EV; 1/3EV step)	Direct printing	✓
Light metering *	Centre-weighted, Evaluative (Multi-pattern), Partial	Orientation sensor	✓
Auto Exposure (AE) lock	✓	Camera file system	DPOF 1.1, Exif 2.3, Raw
Shutter		Multi-shot	✓
Fastest camera shutter speed *	1/4000 s	Image processor	DIGIC 4+
Slowest camera shutter speed *	30 s	Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
Camera shutter type	Electronic	Mac operating systems supported	Mac OS X 10.13 High Sierra, Mac OS X 10.10 Yosemite
Flash		Design	
Flash modes *	Auto, Flash off, Flash on, Manual, Red-eye reduction, Second curtain synchro	Product colour *	Black
Flash exposure lock	✓	Material	Polycarbonate
Flash recharging time	2 s	Battery	
Flash sync-speed	1/200 s	Battery technology *	Lithium-Ion (Li-Ion)
Flash exposure compensation	✓	Battery life (CIPA standard)	500 shots
Flash exposure correction	±2EV (1/2, 1/3 EV step)	Battery type	LP-E10
Shoe mounting point	✓	Battery level indicator	✓
Shoe mounting point type	Hot shoe	Operational conditions	
Video		Operating temperature (T-T)	0 - 40 °C
Video recording *	✓	Weight & dimensions	
Maximum video resolution *	1920 x 1080 pixels	Width	129 mm
HD type *	Full HD	Depth	77.6 mm
Video resolutions	640 x 480, 1280 x 720, 1920 x 1080	Height	101.3 mm
Motion JPEG frame rate	60 fps	Weight	475 g
Video formats supported	H.264, MOV	Lens diameter	7.1 cm
Audio		Lens length	12.2 cm
Audio formats supported	LPCM	Lens weight	480 g
Memory		Packaging content	
Compatible memory cards *	SD, SDHC, SDXC	Batteries included	✓
Memory slots	1	Other features	
		Power source type	Battery
		Technical details	
		Self-timer	✓
		Display brightness control	✓



8714574657394

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.