



AEG DGB2531M Built-in Stainless steel 440 m³/h

Brand : AEG

Product code: 942 022 066


Product name : DGB2531M

AEG DGB2531M. Maximum extraction power: 440 m³/h, Type of extraction: Ducted/Recirculating, Fluid dynamic efficiency class: E. Type: Built-in, Product colour: Stainless steel, Colour name: Acciaio INOX. Grease filter type: Aluminium, Number of filters: 1 pc(s). Bulb power: 5 W, Number of bulbs: 2 bulb(s), Bulb type: LED. Energy efficiency class: D, Annual energy consumption: 84.4 kWh, Motor power: 155 W



Performance		Filtering	
Maximum extraction power *	440 m³/h	Washable filter	✓
Type of extraction *	Ducted/Recirculating	Lighting	
Fluid dynamic efficiency class *	E	Bulb power	5 W
Lighting efficiency class *	A	Number of bulbs	2 bulb(s)
Grease filtering efficiency class *	E	Bulb type	LED
Maximum recirculating power	255 m³/h	Colour temperature	3000 K
Number of speeds *	3	Lighting efficiency (LE)	52.698412698413 lux/W
Noise level *	67 dB	Power	
Noise level (low speed)	51 dB	Energy efficiency class *	D
Noise level (high speed)	67 dB	Motor power	155 W
Noise level (recirculation mode)	70 dB	Power consumption (off)	0.01 W
Pressure (Pa)	260	Annual energy consumption *	84.4 kWh
Airflow (low speed)	195 m³/h	AC input voltage	220-240 V
Minimum distance from electric hob	50 cm	AC input frequency	50 Hz
Minimum distance from gas hob	65 cm	Energy efficiency class (legacy scale)	D
Design		Weight & dimensions	
Type *	Built-in	Width *	520 mm
Product colour *	Stainless steel	Depth	285 mm
Colour name	Acciaio INOX	Height	245 mm
Timer	✓	Height without chimney	24.5 cm
Hob²Hood function	✗	Weight	6.2 kg
Breeze function	✗	Installation compartment width	49.6 cm
Control type	Buttons	Installation compartment depth	26.1 cm
Cord length	1.2 m	Packaging data	
Built-in display *	✗	Package width	620 mm
Exhaust location	Top	Package depth	340 mm
Exhaust connection diameter	15 cm		
Number of motors	1		

Design		Packaging data	
Motor included	✓	Package height	365 mm
Filtering		Package weight	7.4 kg
Grease filter type *	Aluminium	Other features	
Number of filters	1 pc(s)	Filter	ECFB02ST ECFBPL01
Dishwasher proof filter	✓	Measured air pressure at best efficiency point	161 Pa
Removable filter	✓	Grease filtering efficiency (GFE)	55.1%
Anti-odor filter	✓	Fluid dynamic efficiency (FDE)	8.1
		Country of origin	Poland



7332543611683

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.