



Lindy 43176 interfeisa centrmezgls USB 3.2 Gen 1 (3.1 Gen 1) Type-A 5000 Mbit/s Melns

Zīmols : Lindy

Preces kods: 43176

Modeļa nosaukums : 43176

Lindy 43176. Saimnieka interfeiss: USB 3.2 Gen 1 (3.1 Gen 1) Type-A, Centrmezgla interfeisi: RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A. Datu pārsūtīšanas ātrums: 5000 Mbit/s, Produkta krāsa: Melns, Apvalka materiāls: Plastmasa. Ethernet interfeisa tips: Tīkls Gigabit Ethernet, Ethernet LAN datu pārsūtīšanas ātrums: 10,100,1000 Mbit/s, Tīkla standarts: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u. Barošanas avota tips: USB. Platums: 40 mm, Dziļums: 110 mm, Augstums: 20 mm



Savienojamība		Svars&dimensijas	
Saimnieka interfeiss *	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	Dziļums	110 mm
Centrmezgla interfeisi *	RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A	Augstums	20 mm
USB 3.2 Gen 1 (3.1 Gen 1) A tipa pieslēgvietu skaits	3	Svars	60 g
Pieslēgvietu skaits *	4	Informācija par iepakojumu	
Ethernet LAN (RJ-45) pieslēgvietu skaits	1	Skaits iepakojumā	1 pcs
Integrēts karšu lasītājs	✗	Iepakojuma platums	175 mm
DC ieejas ligzda	✗	Iepakojuma dziļums	129 mm
Īpašības		Iepakojuma augstums	30 mm
Datu pārsūtīšanas ātrums *	5000 Mbit/s	Iepakojuma svars	100 g
Produkta krāsa	Melns	Iepakojuma tips	Blisters
Apvalka materiāls	Plastmasa	Iepakojuma saturs	
Kabeļa garums	0,29 m	Manuāls	✓
Sertifikācija	CE, UKCA, FCC, RoHS, REACH	Ārējās vides apstākļi	
Tīklošana		Minimālā darba temperatūra	0 °C
Ethernet interfeisa tips	Tīkls Gigabit Ethernet	Maksimālā darbības temperatūra	70 °C
Ethernet LAN datu pārsūtīšanas ātrums	10,100,1000 Mbit/s	Darbības temperatūras amplitūda (T-T)	0 - 70 °C
Tīkla standarts	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u	Darbības temperatūras amplitūda (T-T)	0 - 158 °F
Energijas pārvaldība		Uzglabāšanas temperatūras amplitūda (T-T)	-10 - 55 °C
Barošanas avota tips	USB	Darbības relatīvā mitruma amplitūda	10 - 90%
Sistēmas prasības		Uzglabāšanas relatīvā mitruma amplitūda	10 - 90%
Atbalstītās Windows operētājsistēmas	✓	Loģistiskie dati	
		Harmonizētās sistēmas (HS) kods	84719000

Sistēmas prasības		Papildus informācija	
Mac operētājsistēmas atbalstītas	✓	Chipset	AX88179 (LAN), VL813 (Hub)
Linux operētājsistēma atbalstīta	✓		
Svars&dimensijas			
Platums	40 mm		



4002888431767

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.