

Epson TM-T20III (011): USB + Serial, PS, Blk, EU

Brand : Epson

Product code: C31CH51011

Product name : Epson TM-T20III (011): USB + Serial, PS, Blk, EU

- Economical: Automatic paper reduction function
 - Reliable: Mechanism life of 15 million lines
 - Fast print speed: Print speed of 250mm/sec
 - Flexible connectivity: Two models: 1) USB + Serial 2) Ethernet
 - Peace of mind: Epson is Europe's number one POS printer manufacturer{s1
 Thermal Line, 250 mm/sec, 80 mm, 203 dpi, RS-232, USB 2.0 Type B, 55 dB, 1.7 kg
 Epson TM-T20III (011): USB + Serial, PS, Blk, EU. Print technology: Thermal, Type: POS printer, Maximum resolution: 203 x 203 DPI. Maximum roll diameter: 8.3 cm, Supported paper width: 80, 48 / 64 mm. Connectivity technology: Wired, USB connector: USB Type-B, Serial interface type: RS-232. Sound pressure level (printing): 55 dB, Mean time between failures (MTBF): 360000 h, Autocutter durability: 1.5 million cuts. Product colour: Black



Printing		Operational conditions	
Colour	×	Storage relative humidity (H-H)	10 - 90%
Maximum resolution	203 x 203 DPI	Weight & dimensions	
Print speed	250 mm/sec	Width	140 mm
Character density	22.6 cpi	Depth	199 mm
Printing characters	Text, Graphic, Barcode	Height	146 mm
Character sets	ANK	Weight	1.7 kg
Print technology *	Thermal	Packaging data	
Type *	POS printer	Cables included	AC
Paper handling		Quantity per pack	1 pc(s)
Maximum roll diameter	8.3 cm	Package width	192 mm
Supported paper width	80, 48 / 64 mm	Package depth	235 mm
Ports & interfaces		Package height	280 mm
USB port *	✓	Package weight	2.62 kg
USB 2.0 ports quantity	1	Packaging content	
USB connector	USB Type-B	Drivers included	✓
Serial interface *	✓	Quick start guide	✓
Serial interface type	RS-232	AC adapter included	✓
Connectivity technology *	Wired	Print technology	
Serial ports quantity	1	Column capacity	48/64
Standard interfaces	RS-232, USB 2.0	Logistics data	
Interface	Drawer kick-out, RS-232	Pallet weight (UK)	0 g
Network		Harmonized System (HS) code	84433210
Ethernet LAN *	×	Products per master (outer) case	4 pc(s)
Wi-Fi *	×	Master (outer) case width	400 mm
Features		Master (outer) case length	490 mm
Sound pressure level (printing)	55 dB	Master (outer) case height	295 mm
Mean time between failures (MTBF)	360000 h	Master (outer) case gross weight	0 g
Cutter	✓	Products per pallet	112 pc(s)
Half-cutter	✓	Products per pallet layer	16 pc(s)

Features		Logistics data	
Autocutter durability	1.5 million cuts	Pallet gross weight	0 g
Paper save function	✓	Products per pallet (UK)	168 pc(s)
Print head life	150 km	Products per pallet layer (UK)	24 pc(s)
Country of origin	Philippines	Technical details	
Mounting position	Horizontal/Vertical	Font styles	ANK
Wall mountable	✓	Box contents	AC adapter, C1, CD Manual, EURO AC cable, Main unit, Paper roll spacer, Power switch cover, Roll paper, Rubber feet, Setup guide, Wall hanging bracket, Warranty document
Built-in sensors details	Paper End Sensor, Paper Near End Sensor		
Safety	UL, CSA, TÜV	Lifetime	15000000 lines
Certification	FCC-Class A, CE, EN55022-Class A		79.50 ± 0.50 (W) mm x dia 83.00 mm,
Design		Paper size roll paper	57.50 ± 0.50 (W) mm x dia 83.00 mm
Product colour *	Black	Technology	Thermal Line
Power		Voltage	24 V
Power source type *	AC	Compliance certificates	CE
AC input voltage	24 V	Power consumption	Standby:0.1 A, Mean:1.8 A
Power consumption	1800 mA	Other features	
Power consumption (standby)	100 mA	Buffer size	4 KB
Operational conditions		Mean cycles between failures (MCBF)	60000000
Operating temperature (T-T)	5 - 45 °C	Print head life	150.000.000 Impulse
Storage temperature (T-T)	-10 - 50 °C	Print head life	150 million characters
Operating relative humidity (H-H)	10 - 90%		



8715946669649

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.