

TP-Link Archer C80 bezvadu rūteris Tīkls Gigabit Ethernet Divkāršā frekvenču josla (2.4 GHz / 5 GHz) Melns

Zīmols : TP-Link

Preces kods: ARCHER C80

Modeļa nosaukums : Archer C80

TP-Link Archer C80. WAN savienojuma veids: RJ-45. Wi-Fi josla: Divkāršā frekvenču josla (2.4 GHz / 5 GHz), Wi-Fi standarts: Wi-Fi 5 (802.11ac), WLAN datu pārraides ātrums (maks.): 1300 Mbit/s. Ethernet LAN saskarnes tips: Tīkls Gigabit Ethernet, Ethernet LAN datu pārsūtīšanas ātrums: 10,100,1000 Mbit/s, Kabeļa likšanas tehnoloģija: 10/100/1000Base-T(X). Drošības algoritma atbalstīts: 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK. Produkta veids: Galda rūteris, Produkta krāsa: Melns, LED indikatori: LAN, Jauda, Status, WLAN, WPS



WAN savienojums		Protokoli	
Ethernet WAN *	✓	Universal Plug and Play (UPnP)	✓
SIM kartes slots *	✗	Dizains	
WAN savienojuma veids	RJ-45	Produkta krāsa	Melns
Bezvadu LAN īpašības		Pie sienas piestiprināms	✓
Wi-Fi josla *	Divkāršā frekvenču josla (2.4 GHz / 5 GHz)	LED indikatori	LAN, Jauda, Status, WLAN, WPS
Wi-Fi standarts *	Wi-Fi 5 (802.11ac)	Integrēts on/off slēdzis	✓
WLAN datu pārraides ātrums (maks.) *	1300 Mbit/s	Produkta veids *	Galda rūteris
Wi-Fi standartu	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Iepakojuma saturs	
WLAN datu pārraides ātrums (pirmā josla)	1300 Mbit/s	Pievienoti kabeli	AC, LAN (RJ-45)
Tīklošana		AC adapteris komplektā	✓
Ethernet/LAN savienojums *	✓	Ātrās instalācijas gids	✓
Ethernet LAN saskarnes tips *	Tīkls Gigabit Ethernet	Antena	
Ethernet LAN datu pārsūtīšanas ātrums	10,100,1000 Mbit/s	Antenas forma *	Ārējs
Kabeļa likšanas tehnoloģija	10/100/1000Base-T(X)	Antenu daudzums	4
Tīkla standarts	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Noņemama(s) antena(s)	✗
Portu pāradresācija	✓	Pārraides jauda	CE: <20dBm(2.4 GHz), <23dBm(5.15 GHz~5.25 GHz), FCC:<30dBm(2.4 GHz & 5 GHz)
Dinamiskais DNS (DDNS)	✓	Energijas pārvaldība	
Savienojamība		Barošanas avota veids *	Līdzstrāvas
Ethernet LAN (RJ-45) pieslēgvietu skaits *	5	Izejas spriegums	12 V
USB pieslēgvietā *	✗	Ārējās vides apstākļi	
Atmiņas kartes slots (i)	✗	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
		Uzglabāšanas temperatūras amplitūda (T-T)	-40 - 70 °C


Savienojamība		Ārējās vides apstākļi	
DC ieejas ligzda	✓	Darbības relatīvā mitruma amplitūda	10 - 90%
Vadības īpašības		Uzglabāšanas relatīvā mitruma amplitūda	5 - 90%
Atiestates poga	✓	Sistēmas prasības	
WPS poga	✓	Pārlūkprogrammas atbalstīts	Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0
Drošība			Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows 98SE, Windows NT, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Drošības algoritma atbalstīts	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK		
Firewall	✓		
Piekļuve kā viesim	✓		
piekļuves vadības saraksts (ACL)	✓		
Pakešu stāvokļa pārbaude (SPI)	✓		
MAC adreses filtrēšana	✓		
DMZ atbalsts	✓		
Protokoli			
DHCP klients	✓		
DHCP serveris	✓		
		Atbalstītās Windows operētājsistēmas	
		Linux operētājsistēma atbalstīta	✓
		Mac operētājsistēmas atbalstītas	MacOS
		Mac saderība	✓
Informācija par iepakojumu			
		Iepakojuma platums	350 mm
		Iepakojuma dziļums	240 mm
		Iepakojuma augstums	82 mm
		Iepakojuma svars	250 g



6935364088873



1210002615976



1210002615969

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.