

ZYXEL

Zyxel XGS1010-12-ZZ0101F network switch Unmanaged Gigabit Ethernet (10/100/1000) Grey

Brand : Zyxel

Product code: XGS1010-12-ZZ0101F

Product name : XGS1010-12-ZZ0101F

- Additional two 2.5G ports for new motherboard, NAS, workstation, or WiFi 6 AP
- 10G SFP+ uplinks to high-speed NAS and Server for a high-performance network
- Fanless design ensures noiseless operation and greater reliability with no additional moving parts
- Jumbo frame, flow control, and IGMP snooping v1 and v2 compatible
XGS1010-12,8-Port Gigabit Unmanaged Switch with 8-Port 1G + 2-Port 2.5G + 2-Port SFP+
Zyxel XGS1010-12-ZZ0101F. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 8. Full duplex. MAC address table: 16000 entries, Switching capacity: 66 Gbit/s. Networking standards: IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x. DC input voltage: 12 V



Management features		Design	
Switch type *	Unmanaged	LED indicators	✓
Quality of Service (QoS) support	✓	Power	
Ports & interfaces		Power source *	AC/DC
Basic switching RJ-45 Ethernet ports quantity *	8	Power supply included *	✓
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	AC input voltage	100 - 240 V
2.5G Ethernet (copper) ports quantity	2	AC input frequency	50 - 60 Hz
SFP+ module slots quantity	2	DC input voltage	12 V
Network		Input current	1.5 A
Networking standards *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x	Power consumption (max)	15.61 W
Full duplex	✓	Power over Ethernet (PoE)	
Flow control support	✓	Power over Ethernet (PoE) *	✗
Auto MDI/MDI-X	✓	Operational conditions	
Ethernet LAN data rates	10,100,1000 Mbit/s	Operating temperature (T-T)	0 - 40 °C
Data transmission		Storage temperature (T-T)	-40 - 70 °C
Switching capacity *	66 Gbit/s	Operating relative humidity (H-H)	10 - 90%
Forwarding rate	49 Mpps	Storage relative humidity (H-H)	10 - 90%
MAC address table *	16000 entries	Weight & dimensions	
Jumbo frames support	✓	Width	250 mm
Jumbo frames	12000	Depth	104 mm
Packet buffer memory	1.5 MB	Height	24 mm
Security		Weight	768 g
Access Control List (ACL)	✓	Packaging data	
		Package width	306 mm
		Package depth	225 mm
		Package height	64 mm
		Package weight	1.22 kg

Design		Logistics data	
Rack mounting *	✗	Harmonized System (HS) code	85176990
Product colour	Grey		
Reset button	✓		



4718937610778



0760559126810



760559126810

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.