

ZYXEL

## Zyxel XGS1010-12-ZZ0101F tīkla pārslēgs Nepārvaldīts Gigabit Ethernet (10/100/1000) Pelēks

**Zīmols :** Zyxel

**Preces kods:** XGS1010-12-ZZ0101F

**Modeļa nosaukums :** XGS1010-12-ZZ0101F



Zyxel XGS1010-12-ZZ0101F. Slēdža tips: Nepārvaldīts. Basic switching RJ-45 Ethernet portu veids: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet portu daudzums: 8. Pilns duplexss. Adrešu tabulas izmērs: 16000 ieraksti, Komutācijas ietilpība: 66 Gbit/s. Tīkla standarts: IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x. DC ievades spriegums: 12 V



| Vadības īpašības                                |                                                                                | Energijas pārvaldība                      |             |
|-------------------------------------------------|--------------------------------------------------------------------------------|-------------------------------------------|-------------|
| Slēdža tips *                                   | Nepārvaldīts                                                                   | Jaudas avots *                            | AC/DC       |
| Quality of Service (QoS) atbalsts               | ✓                                                                              | Strāvas barošana iekļauta *               | ✓           |
| Savienojamība                                   |                                                                                | Mainīstrāvas ievades spriegums            | 100 - 240 V |
| Basic switching RJ-45 Ethernet portu daudzums * | 8                                                                              | Mainīstrāvas ievades frekvence            | 50 - 60 Hz  |
| Basic switching RJ-45 Ethernet portu veids *    | Gigabit Ethernet (10/100/1000)                                                 | DC ievades spriegums                      | 12 V        |
| 2.5G Ethernet (vara) portu skaits               | 2                                                                              | Ieejas strāva                             | 1.5 A       |
| SFP+ moduļa slotu skaits                        | 2                                                                              | Strāvas patēriņš (maks)                   | 15,61 W     |
| Tīklošana                                       |                                                                                | Power over Ethernet (PoE)                 |             |
| Tīkla standarts *                               | IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x | Power over Ethernet (PoE) *               | ✗           |
| Pilns duplexss                                  | ✓                                                                              | Ārējās vides apstākļi                     |             |
| Plūsmas kontroles atbalsts                      | ✓                                                                              | Darbības temperatūras amplitūda (T-T)     | 0 - 40 °C   |
| Auto MDI/MDI-X                                  | ✓                                                                              | Uzglabāšanas temperatūras amplitūda (T-T) | -40 - 70 °C |
| Ethernet LAN datu pārsūtīšanas ātrums           | 10,100,1000 Mbit/s                                                             | Darbības relatīvā mitruma amplitūda       | 10 - 90%    |
| Datu pārraide                                   |                                                                                | Uzglabāšanas relatīvā mitruma amplitūda   | 10 - 90%    |
| Komutācijas ietilpība *                         | 66 Gbit/s                                                                      | Svars&dimensijas                          |             |
| Pakešu apstrādes jauda                          | 49 miljons pakešu sekundē                                                      | Platums                                   | 250 mm      |
| Adrešu tabulas izmērs *                         | 16000 ieraksti                                                                 | Dziļums                                   | 104 mm      |
| Jumbo Frames atbalsts                           | ✓                                                                              | Augstums                                  | 24 mm       |
| Jumbo rāmji                                     | 12000                                                                          | Svars                                     | 768 g       |
| Pakešu buferatmiņa                              | 1,5 MB                                                                         | Informācija par iepakojumu                |             |
| Drošība                                         |                                                                                | Iepakojuma platums                        | 306 mm      |
| piekļuves vadības saraksts (ACL)                | ✓                                                                              | Iepakojuma dziļums                        | 225 mm      |
|                                                 |                                                                                | Iepakojuma augstums                       | 64 mm       |
|                                                 |                                                                                | Iepakojuma svars                          | 1,22 kg     |

| Dizains          |        | Logistiskie dati                |          |
|------------------|--------|---------------------------------|----------|
| Statņa montāža * | ×      | Harmonizētās sistēmas (HS) kods | 85176990 |
| Produkta krāsa   | Pelēks |                                 |          |
| Atiestates poga  | ✓      |                                 |          |
| LED indikatori   | ✓      |                                 |          |



4718937610778



0760559126810



760559126810

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.