

Epson EB-982W

Brand : Epson

Product code: V11H987040

Product name : EB-982W

- 4,200lm and 16,000:1 contrast ratio vivid display: 3LCD technology and equally high White and Colour Light Output
 - Minimal maintenance: Years of uninterrupted use before maintenance is required
 - Flexible installation: Horizontal/vertical keystone correction and 1.6x optical zoom
 - Enhanced connectivity: Dual HDMI ports, RJ-45 Ethernet, optional wireless connectivity
 - Collaborative features: iProjection App{s1, split-screen function, moderator function
- 3LCD, 4200 lm, WXGA, 1280 x 800, 16:10, 16.000 : 1

Epson EB-982W:

Bright HD-Ready WXGA display

Optimise your presentation's potential with this bright WXGA projector that's capable of producing a large and scalable screen size. Excessive downtime is a thing of the past with this reliable projector that can deliver years of use before a replacement lamp is required or the air filter needs attention. It has a range of connectivity solutions and is fuss free to set up.



Projector		Design	
Screen size compatibility *	736.6 - 7112 mm (29 - 280")	Cable lock slot	✓
Projection distance (wide)	0.9 - 8.5 m	Cable lock slot type	Kensington
Projection distance (tele)	1.4 - 13.7 m	Power	
Projector brightness *	4200 ANSI lumens	Power source *	AC
Projection technology *	3LCD	Power consumption (typical) *	327 W
Projector native resolution *	WXGA (1280x800)	Power consumption (standby) *	0.3 W
Contrast ratio (typical) *	16000:1	Power consumption (economy mode)	225 W
Native aspect ratio *	16:10	AC input voltage	100 - 240 V
Number of colours	1.07 billion colours	AC input frequency	50 - 60 Hz
Projector brightness (economic mode)	2600 ANSI lumens	Software	
Vertical scan range	100 - 120 Hz	Software support	via: AMX, Crestron (Network), Control4, Extron
Keystone correction, horizontal	±30°	Operational conditions	
Keystone correction, vertical	±30°	Operating temperature (T-T)	5 - 35 °C
Matrix size	1.5 cm (0.59")	Storage temperature (T-T)	-10 - 60 °C
Light source		Operating relative humidity (H-H)	20 - 80%
Light source type *	Lamp	Storage relative humidity (H-H)	10 - 90%
Service life of light source *	6500 h	Weight & dimensions	
Service life of light source (economic mode)	17000 h	Width	309 mm
Lamp type	UHE	Depth	282 mm
Lamp power	230 W	Height	90 mm
Lens system		Weight *	3.1 kg
Focal length range	18.2 - 29.2 mm	Package width	385 mm
Aperture range (F-F)	1.51 - 1.99	Package depth	395 mm
Zoom capability	✓	Package height	175 mm
Zoom type	Manual	Package weight	4.68 kg
Zoom ratio	1.6:1	Packaging content	
Throw ratio	1.38 - 2.24:1	Remote control included *	✓
Video		Batteries included	✓
Full HD *	✗	Cables included	AC, HDMI
3D *	✗		
Video processing	10 bit		

Video		Packaging content	
Colour modes (2D)	Cinema, Dynamic	Quick start guide	✓
Video colour modes	Blackboard, Cinema, Dynamic, Sports, sRGB	WLAN adapter included	✓
Ports & interfaces		Bundled software	EasyMP Multi PC Projection, Epson Projector Management
USB 2.0 ports quantity	1	Technical details	
USB 2.0 Type-B ports quantity	1	Other features	AV Mute Slide, Automatic keystone correction, Built-in speaker, CEC compatible, Direct Power on/off, Document Camera Compatible, Easy OSD pre-setting, Horizontal and vertical keystone correction, Network projection, OSD copy function, PC Free, Quick Corner, Split-Screen-Function, Wireless LAN capable, iProjection set-up by scanning a code
Serial interface type *	RS-232C		
VGA (D-Sub) ports quantity *	2		
HDMI ports quantity *	2		
Composite video in *	1		
DVI port *	✗		
Network		USB display function	2 in 1: Image/ Sound
Ethernet LAN *	✓	Mobile app support	✓
Ethernet LAN (RJ-45) ports	1	Power consumption	286 Watt (Normal On-Mode), 180 Watt (Eco On-Mode), 327 Watt (Normal Peak-mode), 225 Watt (Eco Peak-Mode), 0.3 Watt (Energy saving standby)
Features			
Noise level (economic mode)	28 dB		
Noise level *	37 dB		
Country of origin	Philippines	Logistics data	Quantity per pack 1 pc(s) Products per pallet 72 pc(s) Pallet gross weight 0 g Products per pallet (UK) 72 pc(s) Pallet weight (UK) 0 g Harmonized System (HS) code 85286200
Password protection	✓		
Multimedia			
Built-in speaker(s) *	✓		
RMS rated power	16 W	Other features	Air filter, Ceiling mount, Document camera, External Speaker, Safety wire set, Spare lamp, Suspension adapter, WP System - ELPWP20, Wireless LAN unit, Wireless transmitter - ELPWT01
Design			
Market positioning *	Portable		
Product type *	Standard throw projector		
Product colour *	White		
Placement	Ceiling, Desktop	Option type	USB 2.0-A, USB 2.0, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), VGA in (2x), VGA out, HDMI in (2x), Composite in, Jack plug out, Jack plug in (2x), Cinch audio out, Wireless LAN IEEE 802.11a/b/g/n/ac (optional)
		Interface	Control panel 0.59 inch with MLA (D9)
		Supported network protocols	PJLink
		Box contents	HDMI Cable, Main unit, Power cable, Quick Start Guide, Remote control incl. batteries, User Manual (CD-ROM), Warranty document
		Security features	Kensington lock, Control panel lock, Security cable hole, Wireless LAN unit lock, Password protection



8715946680774

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.