



TP-Link TL-MR3420 беспроводной маршрутизатор Быстрый Ethernet Однодиапазонный (2,4ГГц) Черный, Белый

Производитель : TP-Link

Код товара: TL-MR3420

Модель : TL-MR3420

IEEE 802.11n, 2400-2483,5 МГц, WPS, 204 x 138 x 44 мм
TP-Link TL-MR3420. Тип WAN соединения: RJ-45. Wi-Fi диапазоны: Однодиапазонный (2,4ГГц), Основной стандарт Wi-Fi: Wi-Fi 4 (802.11n), Скорость передачи данных WLAN (макс): 300 Мбит/с. Тип LAN Ethernet интерфейса: Быстрый Ethernet, Скорость передачи данных Ethernet LAN: 10,100 Мбит/с, Стандарты сети: IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3u. Защита с помощью брандмауэра: NAT, SPI. Тип продукта: Настольный маршрутизатор, Цвет товара: Черный, Белый



WAN подключение		Содержимое упаковки	
Ethernet WAN *	✓	Поставляемые кабели	LAN (RJ-45)
DSL WAN *	✗	Сетевой адаптер в комплекте	✓
Слот для SIM-карты *	✗	Антенна в комплекте	✓
Совместимость с 3G / 4G USB модемом *	✓	Краткое руководство по установке	✓
Тип WAN соединения	RJ-45	Устойчивость	
Характеристики беспроводной LAN		Соответствие требованиям экологически безопасного развития	
Wi-Fi диапазоны *	Однодиапазонный (2,4ГГц)	✓	
Основной стандарт Wi-Fi *	Wi-Fi 4 (802.11n)	Антенна	
Скорость передачи данных WLAN (макс) *	300 Мбит/с	Конструкция антенны *	Внешний
Wi-Fi стандартов	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Тип разъема антенны	RP-SMA
Модуляция	16-QAM, 64-QAM, CCK, DBPSK, DQPSK, OFDM	Коэффициент усиления антенны (макс)	5 dBi
Сеть		Количество антенн	2
Подключение Ethernet *	✓	Тип направленности антенны	Всенаправленный
Тип LAN Ethernet интерфейса *	Быстрый Ethernet	Мощность передачи	20 dBmW
Скорость передачи данных Ethernet LAN	10,100 Мбит/с	Свойства	
Стандарты сети	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3u	Обновляемое встроенное ПО	✓
Авто MDI/MDI-X	✓	Энергопитание	
Чувствительность приемника	270M: -68dBm@10% PER, 130M: -68dBm@10% PER, 108M: -68dBm@10% PER, 54M: -68dBm@10% PER, 11M: -85dBm@8% PER, 6M: -88dBm@10% PER, 1M: -90dBm@8% PER	Тип источника питания *	Кабель переменного тока
		Выходное напряжение	12 V
		Ток на выходе	1 A
		Условия эксплуатации	
		Диапазон температур при эксплуатации	0 - 40 °C
		Диапазон температур при хранении	-40 - 70 °C

Порты и интерфейсы		Условия эксплуатации		
Количество портов Ethernet LAN (RJ-45) *	4	Диапазон относительной влажности при эксплуатации	10 - 90%	
USB порт *	✓	Диапазон относительной влажности при хранении	5 - 95%	
Количество портов USB 2.0	1	Системные требования		
Гнездо входа постоянного тока (DC)	✓			
Характеристики управления		Поддерживаемые операционные системы Windows Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 98SE, Windows NT, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64		
Управление через веб-интерфейс	✓			
WPS кнопки	✓			
Безопасность				
Брандмауэр	✓			
Защита с помощью брандмауэра	NAT, SPI			
Защита от DDoS	✓			
Фильтрация	✓			
Фильтрация MAC-адресов	✓			
Фильтрация по IP адресу	✓			
Фильтрация URL-адресов	✓			
Дизайн		Поддерживаемые операционные системы Linux	Поддерживаемые операционные системы Mac	
Цвет товара	Черный, Белый			
Вкл/Выкл переключатель	✓			
Тип продукта *	Настольный маршрутизатор	Вес и размеры		
Сертификаты				
Compliance certificates	RoHS, Федеральная комиссия по связи (ФКС), CE	Данные об упаковке		
		Логистические данные		
		Код гармонизированной системы описания (HS)	85176990	



6935364051495



0854587033407



854587033407



0845973051495



845973051495

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.