



i-tec C31HDMIDPDOCKPD док-станция для ноутбука Проводная USB 3.2 Gen 1 (3.1 Gen 1) Type-C Черный

Производитель : i-tec

Код товара: C31HDMIDPDOCKPD

Модель : C31HDMIDPDOCKPD

i-tec C31HDMIDPDOCKPD. Технология подключения: Проводная, Основной интерфейс: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery до: 100 W. Скорость передачи данных Ethernet LAN: 10,100,1000 Мбит/с. Цвет товара: Черный, Тип HD: 4K Ultra HD, Максимальное цифровое разрешение: 3840 x 2160 пикселей. Другие поддерживаемые операционные системы: Android. Ширина: 113 mm, Глубина: 113 mm, Высота: 40 mm



Порты и интерфейсы		Производительность	
Технология подключения *	Проводная	Тип слота кабельной блокировки	Kensington
Основной интерфейс *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	крепление VESA	✓
Количество портов USB 2.0 *	2	Цвет товара *	Черный
Количество портов USB 3.2 Gen 1 (3.1 Gen 1) Type-A *	2	Вкл/Выкл переключатель	✓
Количество портов USB 3.2 Gen 1 (3.1 Gen 1) Type-C	1	Светодиодные индикаторы	✓
Количество портов USB 3.2 Gen 2 (3.1 Gen 2) Type-C	2	Энергопитание	
USB Power Delivery	✓	Беспроводная зарядка	✗
USB Power Delivery до	100 W	программное обеспечение	
Количество HDMI портов *	1	Поддерживаемые операционные системы Windows	✓
Количество портов DisplayPort	1	Поддерживаемые операционные системы Mac	✓
Комбинированный порт наушников/микрофона	✓	Поддерживаемые операционные системы Linux	✓
Порт подключения наушников	3,5 mm	Другие поддерживаемые операционные системы	Android
Гнездо входа постоянного тока (DC)	✗	Условия эксплуатации	
Сеть		Диапазон температур при эксплуатации	0 - 40 °C
Подключение Ethernet *	✓	Вес и размеры	
Количество портов Ethernet LAN (RJ-45)	1	Ширина	113 mm
Скорость передачи данных Ethernet LAN	10,100,1000 Мбит/с	Глубина	113 mm
Производительность		Высота	40 mm
Встроенный кардридер *	✗	Вес	245 g
Тип HD	4K Ultra HD	Данные об упаковке	
Максимальное цифровое разрешение	3840 x 2160 пикселей	Ширина упаковки	338 mm
Количество поддерживаемых дисплеев	2	Глубина упаковки	150 mm
Максимальная частота обновления	60 Hz	Высота упаковки	55 mm
		Масса брутто	458 g

Производительность		Содержимое упаковки	
Слот кабельной блокировки	✓	Краткая инструкция пользователя	✓
		Логистические данные	
		Код гармонизированной системы описания (HS)	84733020



8595611704147

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.