



TP-Link TL-SX105 tīkla pārslēgs Nepārvaldīts 10G Ethernet (100/1000/10000) Melns

Zīmols : TP-Link

Preces kods: TL-SX105

Modeļa nosaukums : TL-SX105

TP-Link TL-SX105. Slēdža tips: Nepārvaldīts. Basic switching RJ-45 Ethernet portu veids: 10G Ethernet (100/1000/10000), Basic switching RJ-45 Ethernet portu daudzums: 5. Adrešu tabulas izmērs: 32000 ieraksti, Komutācijas ietilpība: 100 Gbit/s. Tīkla standarts: IEEE 802.1p, IEEE 802.3ab, IEEE 802.3an, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x. Pie sienas piestiprināms



Vadības īpašības		Energijas pārvaldība	
Slēdža tips *	Nepārvaldīts	Ieejas strāva	2 A
Savienojamība		Ieejas spriegums	12 V
Basic switching RJ-45 Ethernet portu daudzums *	5	Strāvas patēriņš (maks)	21,4 W
Basic switching RJ-45 Ethernet portu veids *	10G Ethernet (100/1000/10000)	Power over Ethernet (PoE)	
10G Ethernet (vara) portu skaits	5	Power over Ethernet (PoE) *	×
Tīklošana		Ārējās vides apstākļi	
Tīkla standarts *	IEEE 802.1p, IEEE 802.3ab, IEEE 802.3an, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
10G atbalsta *	✓	Uzglabāšanas temperatūras amplitūda (T-T)	-40 - 70 °C
Auto MDI/MDI-X	✓	Darbības relatīvā mitruma amplitūda	10 - 90%
Automātiska vienošanās	✓	Uzglabāšanas relatīvā mitruma amplitūda	5 - 90%
Datu pārraide		Svars & dimensijas	
Komutācijas ietilpība *	100 Gbit/s	Platums	226 mm
Pakešu apstrādes jauda	74,4 miljons pakešu sekundē	Dziļums	131 mm
Adrešu tabulas izmērs *	32000 ieraksti	Augstums	35 mm
Uzglabāt un pārsūtīt	✓	Iepakojuma saturs	
Jumbo Frames atbalsts	✓	Pievienoti kabeli	AC
Jumbo rāmji	10000	Manuāls	✓
Pakešu buferatmiņa	16 MB	Informācija par iepakojumu	
Dizains		Iepakojuma tips	Kaste
Statņa montāža *	×	Iepakojuma platums	240 mm
Produkta krāsa	Melns	Iepakojuma dziļums	315 mm
LED indikatori	✓	Iepakojuma augstums	70 mm
Pie sienas piestiprināms	✓	Iepakojuma svars	1,58 kg

Darbības rādītāji		Sertifikāti	
Bez ventilatora	✓	Sertifikācija	CE, FCC ,RoHS
Enerģijas pārvaldība		Logistiskie dati	
Jaudas avots *	Līdzstrāvas	Harmonizētās sistēmas (HS) kods	85176990
Strāvas barošana iekļauta *	✓		



6935364030902




6935364030896



0845973088057




845973088057



0840460604208



840460604208



1210002617246

Catalog Object Cloud



Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of web pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.