

CyberPower PDU44005 energosadales vienība, PDU 10 Maiņstrāvas izvade (-s) 1U Melns

Zīmols : CyberPower

Preces kods: PDU44005

Modeļa nosaukums : PDU44005

CyberPower PDU44005. PDU veidi: Vadīts, Izsekojamais, Pārslēdzams, Statņa kapacitāte: 1U, Tips: Vienfāzes. Izeju skaits: 10 Maiņstrāvas izvade (-s), Maiņstrāvas izeju tipi: C13 uzmava, C19 uzmava, Jaudas spraudnis: IEC 60320. Kabeļa garums: 3,05 m. Uzraudzība: Strāva, Jauda, Spriegums, Atbalstāmie tīkla protokoli: IPv4/v6, SNMPv1/v3, HTTP/HTTPS, TCP/IP, UDP, DHCP, NTP, DNS, SMTP, SSH, SSL, TLS, Telnet, FTP, and.... Nominālais ieejas spriegums: 200 - 240 V, Maksimālā strāva: 16 A, Maiņstrāvas ievades frekvence: 50 - 60 Hz



Dizains		Sertifikāti	
PDU veidi *	Vadīts, Izsekojamais, Pārslēdzams	Sertifikācija	CE, FCC Class A, UL62368, EN 55032 Class A, IEC 62368
Tips	Vienfāzes		
Statņa kapacitāte *	1U		
Montāža	Horizontāls		
Apvalka materiāls	Tērauds		
Produkta krāsa	Melns		
Ekrāns	LCD		
Savienojamība		Ilgospēja	
Izeju skaits *	10 Maiņstrāvas izvade (-s)	Ilgospējas atbilstība	✓
Jaudas spraudnis	IEC 60320		
Maiņstrāvas izeju tipi *	C13 uzmava, C19 uzmava		
Ethernet LAN (RJ-45) pieslēgvietu skaits	4		
USB pieslēgvietu skaits	1		
Īpašības		Ārējās vides apstākļi	
Ziedlapķēde	✓	Darbības temperatūras amplitūda (T-T)	0 - 45 °C
LED indikatori	✓	Uzglabāšanas temperatūras amplitūda (T-T)	-15 - 55 °C
Kabeļa garums	3,05 m	Darbības relatīvā mitruma amplitūda	0 - 95%
Vadības īpašības		Uzglabāšanas relatīvā mitruma amplitūda	0 - 95%
Uzraudzība	Strāva, Jauda, Spriegums	Ekspluatācijas augstums	0 - 4000 m
Atbalstāmie tīkla protokoli	IPv4/v6, SNMPv1/v3, HTTP/HTTPS, TCP/IP, UDP, DHCP, NTP, DNS, SMTP, SSH, SSL, TLS, Telnet, FTP, and Syslog	Ne-operacionālais augstums	0 - 15000 m
Programmaparatūra atjauninājama	✓	Svars&dimensijas	
Energijas pārvaldība		Platums	433 mm
Nominālais ieejas spriegums *	200 - 240 V	Dziļums	215 mm
Maiņstrāvas ievades frekvence	50 - 60 Hz	Augstums	44 mm
		Svars	3,4 kg
		Iepakojuma saturs	
		Pievienoti kabeļi	Sērijveida
		Manuāls	✓
		Statīva montēšanas piederumi	✓
		Informācija par iepakojumu	
		Iepakojuma svars	6 kg
		Iepakojuma platums	500 mm

Enerģijas pārvaldība		Informācija par iepakojumu	
Maksimālā strāva *	16 A	Iepakojuma dziļums	398 mm
Sertifikāti		Iepakojuma augstums	125 mm
Atbilstības sertifikāti	CE, RoHS	Logistiskie dati	
		Izcelsmes valsts	Ķīna



4711027799780



0649532933365



649532933365

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.