

Axagon ACU-DPQ100 PD3.0 & QC 4+ THREE OUTPUTS wall charger 100W

Brand : Axagon

Product code: ACU-DPQ100

Product name : ACU-DPQ100 PD3.0 & QC 4+ THREE OUTPUTS wall charger 100W

ACU-DPQ100 PD3.0 & QC4+ THREE OUTPUTS Wall Charger 100W

Axagon ACU-DPQ100 PD3.0 & QC 4+ THREE OUTPUTS wall charger 100W. Charger type: Indoor, Power source type: AC, Charger compatibility: Mobile computer, Mobile phone, Netbook, Laptop, Smartphone, Smartwatch, Tablet, Universal. Input voltage: 100 - 240 V, Maximum output voltage: 4.5 V. USB 2.0 ports quantity: 1, USB Type-C ports quantity: 2, Fast charging, Power protection features: Over voltage, Overheating, Overload, Short circuit, Under voltage. Product colour: Black



Performance		Power	
Charger compatibility *	Mobile computer, Mobile phone, Netbook, Laptop, Smartphone, Smartwatch, Tablet, Universal	Minimum output voltage	20 V
Power source type *	AC	Port 1 output power	30 W
USB 2.0 ports quantity	1	Port 2 output power	65 W
USB Type-C ports quantity	2	Port 3 output power	100 W
Wireless charging	✗	Compatible power plug types	EU
Fast charging	✓	Weight & dimensions	
Fast charging technology	Adaptive Fast Charging, GaN, Hypercharge, Power Delivery 3.0, Quick Charge 2.0, Quick Charge 3.0, Quick Charge 4, Quick Charge 4+	Width	60 mm
Charger type *	Indoor	Depth	32 mm
Number of simultaneously connected devices (max) *	3	Height	115 mm
USB Power Delivery (USB PD)	✓	Weight	152 g
Operating principle	Contact	Packaging data	
USB Power Delivery revision	3.0	Package width	155 mm
USB Power Delivery up to	100 W	Package depth	90 mm
Power protection features	Over voltage, Overheating, Overload, Short circuit, Under voltage	Package height	38 mm
Special features	Smart IC	Package weight	191 g
MagSafe compatible	✗	Package type	Display box
Cooling fan	✗	Packaging content	
Design		Quantity per pack	1 pc(s)
Product colour *	Black	Manual	✓
Power		Certificates	
Input voltage	100 - 240 V	Compliance certificates	RoHS, CE
		Certification	CE, RoHS
		Logistics data	
		Warranty period	3 year(s)
		Country of origin	China

Power

Input frequency	50 - 60 Hz
Maximum power	100 W
Maximum output voltage	4.5 V



8595247907912

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.