

Viewsonic PX749-4K data projector Standard throw projector 4000 ANSI lumens UHD 4K (3840x2160) 3D White

Brand : Viewsonic

Product code: PX749-4K


Product name : PX749-4K

- Designed for Xbox for the ultimate gaming experience
 - Immersive audiovisual enjoyment with 4K HDR and Harman-tuned speaker
 - Up-to-300" screen size with 4,000 ANSI Lumens to maximize fun at home
 - 4.2ms Ultra-Fast Input & 240Hz high refresh rate
 - Direct big-screen streaming via USB-C
 - Flexible installation: 1.3x optical zoom, warping adjustment and side projection capabilities
- 4K, 4000 ANSI, 12000:1, 1.07 B, 1.3X, 240W UHP Lamp, 10W, RJ45, HDMI, RS232, USB, 100-240 V, 3 kg



Projector		Network	
Smart projector *	✓	Smart TV *	✗
Screen size compatibility *	762 - 7620 mm (30 - 300")	Ethernet LAN *	✓
Projection distance	0.75 - 9.76 m	Ethernet LAN (RJ-45) ports	1
Projector brightness *	4000 ANSI lumens	Wi-Fi *	✗
Projector native resolution *	UHD 4K (3840x2160)	Storage	
Contrast ratio (typical) *	12000:1	Card reader integrated *	✗
Native aspect ratio *	16:9	Features	
Number of colours	1.07 billion colours	Noise level (economic mode)	28 dB
Horizontal scan range	15 - 135 kHz	HDCP	✓
Vertical scan range	23 - 240 Hz	On Screen Display (OSD)	✓
Keystone correction, horizontal	-40 - 40°	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, INC, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Thai, Turkish, Vietnamese
Keystone correction, vertical	-40 - 40°		
Light source		Number of OSD languages	24
Light source type *	Lamp		
Service life of light source *	4000 h	HDCP version	1.4/2.2
Service life of light source (economic mode)	20000 h	Noise level *	33 dB
Lamp type	UHP	Multimedia	
Lamp power	240 W	Built-in speaker(s) *	✓
Lamps quantity	1 lamp(s)	RMS rated power	10 W
Lens system		Design	
Focus *	Manual	Market positioning *	Home cinema
Focal length range	12 - 15.6 mm	Product type *	Standard throw projector
Aperture range (F-F)	1.94 - 2.12	Product colour *	White
Zoom capability	✓	Display	
Zoom type	Manual	Built-in display *	✗
Digital zoom	2x	Power	
Optical zoom	1.3x	Power source *	AC
Throw ratio	1.13 - 1.47	Power consumption (typical) *	310 W
Offset	120%	Power consumption (standby) *	0.5 W
Video		AC input voltage	100 - 240 V
Analog signal format system *	NTSC, PAL	AC input frequency	50 - 60 Hz
Full HD *	✓	Ports & interfaces	
3D *	✓	HDMI connector type	Full-size
Supported video modes	480i, 480p, 720p, 1080i, 1080p, 2160p		

Ports & interfaces		Operational conditions	
HDMI version	2.0	Operating temperature (T-T)	0 - 40 °C
Service port type	USB Type-A	Weight & dimensions	
USB 2.0 ports quantity	2	Width	312 mm
USB 2.0 Type-A ports quantity	1	Depth	222 mm
USB 2.0 Type-C ports quantity	1	Height	108 mm
Serial interface type *	RS-232	Weight *	3 kg
PC Audio out	✓	Package width	415 mm
HDMI ports quantity *	2	Package depth	168 mm
DVI port *	✗	Package height	297 mm
12V trigger	✓	Package weight	3.9 kg
12V trigger ports quantity	1	Packaging content	
AC (power) in	✓	Remote control included *	✓
		Cables included	AC, USB Type-C
		Quick start guide	✓
		Warranty card	✓
		Technical details	
		Image lag time	4.2 ms
		Logistics data	
		Pallet gross length	83.4 cm
		Pallet gross width	100.8 cm
		Pallet gross height	190.5 cm
		Products per master (outer) case	1 pc(s)
		Harmonized System (HS) code	8528620000



0766907020076



766907020076

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.