

Canon PIXMA TS9551Ca Inkjet A3 4800 x 1200 DPI Wi-Fi

Brand : Canon

Product family: PIXMA

Product code: 2988C056

Product name : TS9551Ca

- A3 All-in-One printer
 - 2-way paper feeding
 - 20-sheet ADF
 - Auto 2-sided printing
 - 5 individual inks
 - 10.8cm (4.3 inch) touchscreen
 - Wireless and Ethernet connectivity
 - Canon PRINT app
- Wireless/Ethernet, Print, Copy, Scan, Cloud link, A3, 4800 x 1200 dpi, Flatbed, ADF, USB, 9.7kg

Canon PIXMA TS9551Ca Inkjet A3 4800 x 1200 DPI Wi-Fi:

A3 All-In-One for the home office or home crafter

With A3 print capability, and simple wireless connectivity, the PIXMA TS9550a Series allows you to choose between professional document printing for the home office, or total creative freedom for all your crafting needs.

Canon PIXMA TS9551Ca. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Duplex functions: Print. Maximum ISO A-series paper size: A3. Wi-Fi. Direct printing. Product colour: White



Printing		Paper handling	
Duplex printing mode	Auto	Envelopes sizes	Com-10, DL
Print technology *	Inkjet	Borderless printing media sizes	8.9x8.9, 10x15, 10x10, 13x18, 13x13, 17.5x25, 20x25, 25x30, 30x30
Printing *	Colour printing	Custom media width	55 - 215.9 mm
Duplex printing *	✓	Custom media length	210 - 297 mm
Maximum resolution *	4800 x 1200 DPI	Paper tray media weight	64 - 105 g/m²
Print speed (ISO/IEC 24734) mono	15 ipm	Ports & interfaces	
Print speed (ISO/IEC 24734) colour	10 ipm	Direct printing *	✓
Borderless printing	✓	USB port	✓
DVD/CD printing	✓	USB connector	USB Type-B
Copying		USB 2.0 ports quantity	1
Copying *	Colour copying	Network	
Time to first copy (colour, normal)	19 s	Wi-Fi *	✓
Maximum number of copies	99 copies	Ethernet LAN *	✓
Copier resize	25 - 400%	Cabling technology	10/100Base-T(X)
N-in-1 copy function	✓	Ethernet LAN data rates	10,100 Mbit/s
N-in-1 copy function (N=)	2, 4	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
ID-card copy function	✓	Security algorithms	WEP, WPA-PSK, WPA2-PSK
Scanning		Mobile printing technologies	Apple AirPrint, Google Cloud Print, PIXMA Cloud Link
Scanning *	Colour scanning	Performance	
Optical scanning resolution *	1200 x 2400 DPI	Card reader integrated	✓
Maximum scan area	216 x 297 mm	Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC, SD, SDHC, SDXC
Scanner type *	Flatbed & ADF scanner	Design	
Scan technology	CIS	Product colour *	White
Input colour depth	16 bit	Market positioning *	Home & office
Output colour depth	8 bit	Built-in display *	✓
Input greyscale depth	16 bit	Display	LCD
Output greyscale depth	8 bit		
Fax			
Faxing *	✗		

Features		Design	
Duplex functions *	Print	Display diagonal	10.8 cm (4.25")
Number of print cartridges *	5	Control type	Touch
Printing colours *	Black, Cyan, Magenta, Pigment black, Yellow	Colour display	✓
Input & output capacity		Power	
Total number of input trays *	1	Power consumption (copying)	14 W
Total input capacity *	50 sheets	Power consumption (standby)	2 W
Multi-Purpose tray	✓	Power consumption (off)	0.3 W
Auto document feeder (ADF)	✓	AC input voltage	100 - 240 V
Auto document feeder (ADF) input capacity	20 sheets	System requirements	
Maximum input capacity	100 sheets	Windows operating systems supported	Windows 10, Windows 11, Windows 8.1
Paper handling		Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave
Maximum ISO A-series paper size *	A3	Mobile operating systems supported	Android, iOS
Paper tray media types *	Art paper, Envelopes, Glossy paper, High resolution paper, Matte paper, Photo paper, Plain paper, Semi-glossy paper	Operational conditions	
ISO A-series sizes (A0...A9) *	A3, A4, A5	Operating relative humidity (H-H)	10 - 80%
ISO B-series sizes (B0...B9)	B5	Operating temperature (T-T)	15 - 30 °C
Non-ISO print media sizes	Legal, Letter	Weight & dimensions	
		Width	468 mm
		Depth	366 mm
		Height	193 mm
		Weight	9.7 kg



4549292236286

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.