

Whirlpool MaxiSpace W7F HS41 X Freestanding 15 place settings


Brand : Whirlpool

Product family: MaxiSpace

Product code: 859991658450

Product name : W7F HS41 X

Whirlpool MaxiSpace W7F HS41 X. Appliance placement: Freestanding, Product size: Full size (60 cm), Door colour: Stainless steel. Number of place settings: 15 place settings, Noise emission class: B, Noise level: 41 dB. Energy efficiency class: C, Water consumption per cycle: 9.5 L, Energy consumption per 100 cycles: 76 kWh. Width: 600 mm, Depth: 590 mm, Height: 850 mm. Package weight: 49 kg



Design		Performance	
Appliance placement *	Freestanding	Half-load	✓
Product size *	Full size (60 cm)	Self-cleaning	✓
Custom panel-ready *	✗	Ergonomics	
Door colour *	Stainless steel	Adjustable feet	✓
Control panel colour	Black	Salt indicator	✓
Control type	Buttons	Rinse aid indicator	✓
Built-in display *	✓	Power	
Cord length	1.3 m	Energy efficiency scale	A to G
Inlet hose length	1.55 m	Energy efficiency class *	C
Outlet hose length	1.5 m	Energy consumption per cycle	0.757 kWh
Water fill	Cold, Hot	Water consumption per cycle *	9.5 L
Baskets adjustable placement	Upper	Energy consumption per 100 cycles *	76 kWh
Cutlery compartment type	Drawer	Connected load	1900 W
Removable cutlery basket	✓	Power consumption (standby)	0.5 W
Tub material	Stainless steel	AC input voltage	220-240 V
Performance		AC input frequency	50 Hz
Noise level *	41 dB	Current	10 A
Dishwashing programs *	Auto, Delicate 45°C, Eco 50°C, Intensive 65°C, Mixed, Quick 45°C, Self-clean 65°C, Soak	Energy efficiency index (EEI)	43.9
Drying system	Natural	Washing efficiency index (EU 2017/1369)	1.13
Number of place settings *	15 place settings	Drying efficiency index (EU 2017/1369)	1.07
Number of washing programs *	8	Weight & dimensions	
Noise emission class *	B	Depth	590 mm
Drying performance	B	Height	850 mm
Temperature (max) *	65 °C	Weight	47 kg
Maximum hot water supply temperature	60 °C	Width *	600 mm
Cycle time *	210 min		

Performance		Packaging data	
Delayed start timer	✓	Package weight	49 kg
Delay start (max)	24 h		
AquaStop function *	✓		
Overflow protection *	✓		



8003437640414

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.