Electrolux EGE6172NOK Черный Встроенный 60 cm Комбинированный 4 зона(ы)



Производитель : Electrolux

Код товара: 949 760 070

Модель : EGE6172NOK

Electrolux EGE6172NOK. Цвет товара: Черный, Размещение бытового устройства: Встроенный, Размер варочной поверхности по ширине: 60 cm. Зона медленного приготовления: 1900 W, Обычная зона варки: 2700 W, Мощность большой зоны варки: 1200 W. Тип управления: Сенсорный, Вращающийся, Размещение контрольной панели: Верхний правый. Подключенная нагрузка (электрическая): 3000 W, Подключенная нагрузка (газовая): 4600 W, Входящее напряжение сети: 230 V. Ширина: 580 mm, Глубина: 510 mm, Высота: 40 mm

Дизайн	
Количество газовых зон для приготовления *	2 зона(ы)
Количество электрических варочных зон *	2 зона(ы)
Положение зоны варки 1	Правое переднее
Диаметр зоны варки 1	145 mm
Мощность зоны варки 1	1200 W
Положение зоны варки 2	Левое переднее
Диаметр зоны варки 2	100 mm
Мощность зоны варки 2	2700 W
Диаметр зоны варки 3	180 mm
Мощность зоны варки 3	1800 W
Положение зоны варки 4	Левое заднее
Диаметр зоны варки 4	70 mm
Мощность зоны варки 4	1900 W
Диаметр зоны медленного приготовления	7 cm
Диаметр обычной зоны варки	10 cm
Диаметр большой зоны варки	14,5 cm
Диаметр очень большой высокоскоростной зоны варки	18 cm
Цвет товара *	Черный
Размещение бытового устройства *	Встроенный
Размер варочной поверхности по ширине *	60 cm
Тип варочной поверхности *	Комбинированный
Тип верхней поверхности *	Стеклокерамическая
Количество конфорок *	4 зона(ы)

Производительность	
Зона медленного приготовления	1900 W
Обычная зона варки	2700 W
Мощность большой зоны варки	1200 W
Очень большая высокоскоростная зона варки	1800 W

Эргономика	
Тип управления *	Сенсорный, Вращающийся
Размещение контрольной панели *	Верхний правый
Встроенный экран *	✗
Электронное зажигание	✓
Устройство индикации погасания пламени	✓

Энергопитание	
Подключенная нагрузка (электрическая) *	3000 W
Подключенная нагрузка (газовая) *	4600 W
Входящее напряжение сети	230 V
Частота входящего переменного тока	50 Hz

Вес и размеры	
Ширина	580 mm
Глубина	510 mm
Высота	40 mm
Длина шнура	1,1 m
Ширина отверстия для установки	55 cm

Дизайн		Вес и размеры
материал опоры для сковороды	Чугун	Глубина установочного отверстия 47 cm
Тип рамки	Безрамный	

7332543196029

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 12-SEP-2026. Prints or copies of Information are only valid on the printed Publication date