

Brother DS-640 scanner Handheld scanner 1200 x 1200 DPI A4 Black, White

Brand : Brother

Product code: DS-640

Product name : DS-640

- 1-sided A4 scanning up to 15 pages per minute
 - Industry leading software to scan documents, receipts and ID cards
 - Power directly from a USB 3.0 port on PC
- Scan and go with the DSmobile DS-640. Ideal for scanning single-sided documents when on the move or when you have limited desk space.

Brother DS-640 scanner Handheld scanner 1200 x 1200 DPI A4 Black, White:

Make scanning, saving and sharing your documents effortless. The small, compact design, makes the DSmobile DS-640 ideal where space is limited. Whether on a reception desk or when you are out of the office, reducing the amount of paperwork and ensuring document security is always key. A great choice for reception areas, small offices and working on the go.



Scanning		Weight & dimensions	
Maximum scan size *	215.9 x 1828.8 mm	Width	162 mm
Optical scanning resolution *	1200 x 1200 DPI	Depth	76 mm
Enhanced scan resolution	1200 x 1200 DPI	Height	377 mm
Colour scanning	✓	Weight	390 g
Duplex scanning *	✗	Packaging data	
Output colour depth	24 bit	Quantity per pack	1 pc(s)
Output greyscale depth	8 bit	Package width	377 mm
Output monochrome depth	1 bit	Package depth	162 mm
Greyscale levels	256	Package height	76 mm
ADF scan speed (b/w, A4)	15 ppm	Package weight	1.02 kg
ADF scan speed (colour, A4)	15 ppm	Packaging content	
Black/white scanning colour modes	Grayscale	Warranty card	✓
Design		Cables included	Micro-USB
Scanner type *	Handheld scanner	Quick start guide	✓
Product colour *	Black, White		
Built-in display *	✗		
Performance			
Sensor type *	CIS		
Scan to	E-mail, File, Image, OCR		
Scan drivers	SANE, TWAIN, WIA		
Scanning noise level	53 dB		
Sound pressure level (max)	42 dB		
Paper handling			
Scanning media types supported	Plain paper, Plastic Card		
Long-paper mode	✓		
Maximum ISO A-series paper size *	A4		
Card thickness (max)	1.24 mm		

Paper handling		System requirements	
Auto Document Feeder (ADF) media weight	35 - 270 g/m ²		Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IoT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
Ports & interfaces			
USB port *	✓		
USB version	3.2 Gen 1 (3.1 Gen 1)		
USB connector type	Micro-USB B		
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1)		
Power		Windows operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave
Power supply type *	USB	Mac operating systems supported	Linux operating systems supported ✓
Power consumption (typical)	2.3 W	Linux operating systems supported	Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Power consumption (standby)	1.3 W	Server operating systems supported	
Power consumption (off)	0.01 W		
Operational conditions			
Operating temperature (T-T)	5 - 35 °C		
Operating relative humidity (H-H)	20 - 80%		
Other features			
Maximum media width	215.9		
Scan media weight	35 - 270 g/m ²		
Maximum media length	182.9 cm		
Technical details			
Pallet type	800 x 1200 mm		
Logistics data			
Products per pallet	240 pc(s)		
Country of origin	China		
Master (outer) cases per pallet	80 pc(s)		
Layers per pallet	8 pc(s)		
Pallet gross weight	242 kg		
Pallet gross height	16.3 cm		
Master (outer) cases per pallet layer	10 pc(s)		
Harmonized System (HS) code	84716070		



4977766800525




0012502657477



012502657477



4977766800495



4977766800549



4977766800518

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.