



Electrolux KGG6407K Черный Встроенный 60 см Газовый 4 зона(ы)

Производитель : Electrolux

Код товара: 949 640 736

Модель : KGG6407K

Electrolux KGG6407K. Цвет товара: Черный, Размещение бытового устройства: Встроенный, Размер варочной поверхности по ширине: 60 см. Тип управления: Вращающийся, Размещение контрольной панели: Верхний правый. Входящее напряжение сети: 220-240 V, Частота входящего переменного тока: 50-60 Hz. Ширина: 590 mm, Глубина: 510 mm, Высота: 45 mm



Дизайн		Дизайн	
Количество газовых зон для приготовления *	4 зона(ы)	Мощность конфорки-вока	3000 W
Количество электрических варочных зон *	0 зона(ы)	Количество одновременно используемых конфорок	4
Тип зоны варки 1	Обычный	Цвет товара *	Черный
Форма зоны варки 1	Круглый	Размещение бытового устройства *	Встроенный
Положение зоны варки 1	Правое переднее	Размер варочной поверхности по ширине *	60 cm
Источник питания зоны варки 1	Газ	Тип варочной поверхности *	Газовый
Диаметр зоны варки 1	54 mm	Тип верхней поверхности *	Стекло
Мощность зоны варки 1	1000 W	Количество конфорок *	4 зона(ы)
Тип зоны варки 2	Большой	материал опоры для сковороды	Чугун
Форма зоны варки 2	Круглый	Тип рамки	Безрамный
Положение зоны варки 2	Левое переднее	Производительность	
Источник питания зоны варки 2	Газ	Защитная термopapa	✓
Диаметр зоны варки 2	100 mm	Эргономика	
Мощность зоны варки 2	3000 W	Тип управления *	Вращающийся
Тип зоны варки 3	Обычный	Размещение контрольной панели *	Верхний правый
Форма зоны варки 3	Круглый	Встроенный экран *	✗
Положение зоны варки 3	Правое заднее	Электронное зажигание	✓
Источник питания зоны варки 3	Газ	Энергопитание	
Диаметр зоны варки 3	70 mm	Входящее напряжение сети	220-240 V
Мощность зоны варки 3	1900 W	Частота входящего переменного тока	50-60 Hz
Тип зоны варки 4	Медленный огонь	Вес и размеры	
Форма зоны варки 4	Круглый	Ширина	590 mm
Положение зоны варки 4	Левое заднее	Глубина	510 mm
Источник питания зоны варки 4	Газ		
Диаметр зоны варки 4	70 mm		
Мощность зоны варки 4	1900 W		
Горелка для вок	✓		

Дизайн		Вес и размеры	
Положение горелки для вок	Левое переднее	Высота	45 mm
		Длина шнура	1,1 m
		Ширина отверстия для установки	55 cm
		Глубина установочного отверстия	47 cm



7332543663675



7332543549658

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.