

Zalman P10 Namu Black Mini Tower Черный

Производитель : Zalman

Код товара: P10 NAMU BLACK

Модель : P10 Namu Black

Zalman P10 Namu Black. Формат: Mini Tower, Тип: ПК, Цвет товара: Черный. Установленные вентиляторы (передняя панель): 2x 120 mm, Установленные вентиляторы (задняя панель): 1x 120 mm, Поддерживаемые диаметры вентиляторов (задняя панель): 120 mm. Поддерживаемые размеры жесткого диска: 2.5,3.5". Ширина: 216 mm, Глубина: 418 mm, Высота: 422 mm. Страна производства: Южная Корея



Дизайн		Охлаждение	
Материал	Пластик, Стальной, Закаленное стекло	Установленные вентиляторы (передняя панель)	2x 120 mm
Формат *	Mini Tower	Установленные вентиляторы (задняя панель)	1x 120 mm
Тип *	ПК	Максимальное количество вентиляторов (задняя панель)	1
Цвет товара *	Черный	Поддерживаемые диаметры вентиляторов (задняя панель)	120 mm
Поддерживаемые форм-факторы материнской платы *	Микро ATX, Mini-ITX	Максимальное количество вентиляторов (верхняя панель)	3
Количество 3.5" отсеков *	2	Поддерживаемые диаметры вентиляторов (верхняя панель)	120,140 mm
Количество 2.5" слотов	3	Максимальное количество вентиляторов (нижняя панель)	3
Количество расширительных разъемов	5	Поддерживаемые диаметры вентиляторов (нижняя панель)	120 mm
Боквое окно	✓	Скорость вращения вентилятора	600 - 2000 RPM
Освещение	✓	Поддерживаемые размеры заднего радиатора	120 mm
Цвет освещения	Мульти	Поддерживаются верхние размеры радиаторов	120,240 mm
Расположение подсветки	Спина	Устройства хранения данных	
Панель(и) из закаленного стекла	✓	Поддерживаемые размеры жесткого диска *	2.5,3.5"
Усовершенствованное управление кабелями	✓	комбинированный корпус для жесткого/твердотельного диска	✓
Кнопка сброса установок	✓	Вес и размеры	
Кнопка включения/выключения	✓	Ширина	216 mm
Кнопка управления RGB	✓	Глубина	418 mm
Максимальная высота кулера процессора	17,3 cm	Высота	422 mm
Максимальная длина графического адаптера	34 cm	Вес	6,1 kg
Максимальная длина блока питания	14 cm		
Блок питания			
Блок питания в комплекте *	✗		

Порты и интерфейсы		Данные об упаковке	
Количество портов USB 3.2 Gen 1 (3.1 Gen 1) Type-A *	1	LED-контроллер	✓
Количество USB портов C-типа	1	Логистические данные	
Комбинированный порт наушников/микрофона	✓	Страна производства	Южная Корея



8800263650378

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.