



Canon PowerShot V1 Compact camera 22.3 MP CMOS 5760 x 3840 pixels Black

Brand : Canon

Product family: PowerShot

Product code: 6390C001

Product name : V1

PowerShot V1

Canon PowerShot V1. Camera type: Compact camera, Megapixel (approx.): 22.3 MP, Sensor type: CMOS, Maximum image resolution: 5760 x 3840 pixels. ISO sensitivity (max): 3200. Optical zoom: 3.1x, Focal length range: 8.2 - 25.6 mm. Fastest camera shutter speed: 1/2000 s. Wi-Fi. HD type: 4K Ultra HD, Maximum video resolution: 3840 x 2160 pixels. Display diagonal: 7.62 cm (3"), Touchscreen. Weight: 426 g. Product colour: Black



Picture quality		Display	
Camera type *	Compact camera	Display brightness adjustment	✓
Megapixel (approx.) *	22.3 MP	Number of manual brightness adjustment levels	5
Sensor type *	CMOS	Viewfinder	
Maximum image resolution *	5760 x 3840 pixels	Viewfinder information	AE lock
Still image resolution(s) *	5760x3840, 3840x2560, 2880x1920, 2400x1600, 4032x2688, 3840x3840, 2560x2560, 1920x1920, 1600x1600, 5120x3840, 3408x2560, 2560x1920, 2880x1616, 2400x1344, 5760x3840	Ports & interfaces	
		PictBridge *	✗
		HDMI *	✓
		Network	
Image stabilizer *	✓	Bluetooth *	✓
Supported aspect ratios	1:1, 3:2, 4:3, 16:9	Bluetooth version	4.2
Total megapixels	23.9 MP	Wi-Fi *	✓
Colour filter type	Primary colour filter	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Image formats supported *	C-Raw, HEIF, JPEG, Raw	Near Field Communication (NFC) *	✗
Lens system		Camera	
Optical zoom *	3.1x	White balance *	Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Shade, Tungsten
Focal length range	8.2 - 25.6 mm	Scene modes *	Auto, Faithful, Fine detail, Landscape, Monochrome, Portrait, Standard
Maximum aperture number	2.8	Shooting modes *	Aperture priority, Auto, Intelligent auto, Manual, Scene, Shutter priority
Focusing		Self-timer delay *	2,10 s
Focus adjustment *	Auto/Manual	Languages support	Arabic, Dutch, Hungarian, English, Norwegian, Spanish, Indonesian, Swedish, Italian, Polish, Thai, Simplified Chinese, Finnish, Japanese, Portuguese, Turkish, Traditional Chinese, French, Romanian, Ukrainian, Greek, Korean, Russian, Vietnamese, Czech, Danish, Hindi, German
Focusing system	Dual Pixel CMOS AF II		
Auto focusing (AF) modes *	AI Focus, One Shot Focus, Servo Auto Focus		
Closest focusing distance	0.05 m		
Auto Focus (AF) area (auto selection) (horizontal/vertical)	100/100%	Histogram	✓
Auto Focus (AF) lock	✗		
Auto Focus (AF) assist beam	✗		
Exposure			
ISO sensitivity (min) *	100		
ISO sensitivity (max) *	3200		

Exposure		Camera	
Light metering *	Centre-weighted, Evaluative (Multi-pattern), Spot	Orientation sensor	✓
Auto Exposure (AE) lock	✓	Camera drive modes	Continuous high, Continuous high+, Continuous low, Self-timer, Single
Shutter		Continuous shooting	15 fps (mechanical shutter) / 30 fps (electronic shutter)
Fastest camera shutter speed *	1/2000 s	Histogram options	Brightness, RGB
Flash		Tripod mounting supported *	✓
Flash sync-speed	1/250 s	Tripod thread	1/4"
Flash exposure compensation	✓	Built-in processor	✓
Flash exposure correction	±3EV (1/3 EV step)	Image processor	DIGIC X
Shoe mounting point	✓	Other operating systems supported	Android, iOS
Shoe mounting point type	Hot shoe	Design	
Brand specific flash systems	E-TTL II (Canon)	Market segment *	Consumer
Video		Product colour *	Black
Video recording *	✓	Dustproof	✗
Maximum video resolution *	3840 x 2160 pixels	Battery	
HD type *	4K Ultra HD	Battery technology *	Lithium-Ion (Li-Ion)
Video resolutions	1920 x 1080, 3840 x 2160 pixels	Battery type	LP-E17
Video formats supported	MP4	Battery level indicator	✓
Audio		Battery level indicator number of levels	4
Built-in microphone *	✓	Power	
Built-in speaker(s)	✓	USB Type-C charging port *	✗
Memory		Operational conditions	
Compatible memory cards *	SD	Operating temperature (T-T)	0 - 40 °C
Memory slots	1	Operating relative humidity (H-H)	10 - 90%
Display		Weight & dimensions	
Display *	LCD	Width	118.3 mm
Touchscreen *	✓	Depth	52.5 mm
Display diagonal *	7.62 cm (3")	Height	68 mm
Display diagonal (metric)	7.5 cm	Weight	426 g
Vari-angle LCD display	✓	Packaging content	
		Wrist strap included	✓
		AC adapter included *	✗
		Batteries included	✓



4549292228946



4549292228090



5715328213579

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.