



## DELL E Series E2225HM computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LCD

**Brand :** DELL

**Product family:** E Series

**Product code:** DELL-E2225HM

**Product name :** E2225HM

- 54.6cm (21.5") Full HD 1920 x 1080 VA
- 8ms, 16:9, 250cd/m<sup>2</sup>, 3000:1
- VGA, HDMI, DisplayPort
- 54.6cm (21.5") Full HD 1920 x 1080 VA, 16:9, 250cd/m<sup>2</sup>, 16.7M, 8ms, 178°/178°, 3000:1

**DELL E Series E2225HM computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LCD:**

Get the essentials to enhance productivity with this 21.5-inch fixed-stand monitor certified by TÜV Rheinland® for 3-star eye comfort.

DELL E Series E2225HM. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting




| Display                        |                                                                                                                                                               | Ergonomics                                |               |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|---------------|
| Display diagonal *             | 54.6 cm (21.5")                                                                                                                                               | LED indicators                            | ✓             |
| Display resolution *           | 1920 x 1080 pixels                                                                                                                                            | <b>Power</b>                              |               |
| HD type *                      | Full HD                                                                                                                                                       | Energy efficiency class (SDR) *           | D             |
| Native aspect ratio *          | 16:9                                                                                                                                                          | Energy efficiency class (HDR) *           | Not available |
| Display technology *           | LCD                                                                                                                                                           | Energy consumption (SDR) per 1000 hours * | 12 kWh        |
| Panel type *                   | VA                                                                                                                                                            | Power consumption (typical) *             | 11.9 W        |
| LED backlight                  | ✓                                                                                                                                                             | Power consumption (standby) *             | 0.3 W         |
| Backlight type                 | Edge-Lit                                                                                                                                                      | Power consumption (max)                   | 25 W          |
| Touchscreen *                  | ✗                                                                                                                                                             | Power consumption (off)                   | 0.3 W         |
| Display brightness (typical)   | 250 cd/m <sup>2</sup>                                                                                                                                         | AC input voltage                          | 100 - 240 V   |
| Response time *                | 8 ms                                                                                                                                                          | AC input frequency                        | 50/60 Hz      |
| Response time measurement type | GTG (Gray to Gray)                                                                                                                                            | Input current                             | 0.7 A         |
| Anti-glare screen              | ✓                                                                                                                                                             | Power supply type                         | Internal      |
| Screen shape *                 | Flat                                                                                                                                                          | Energy efficiency scale                   | A to G        |
| Supported graphics resolutions | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080) | <b>Operational conditions</b>             |               |
|                                |                                                                                                                                                               | Operating temperature (T-T)               | 0 - 40 °C     |
| Supported video modes          | 480p, 576p, 720p, 1080p                                                                                                                                       | Storage temperature (T-T)                 | -20 - 60 °C   |
| Contrast ratio (typical) *     | 3000:1                                                                                                                                                        | Operating relative humidity (H-H)         | 10 - 80%      |
| Maximum refresh rate *         | 100 Hz                                                                                                                                                        | Storage relative humidity (H-H)           | 5 - 90%       |
| Viewing angle, horizontal      | 178°                                                                                                                                                          | Operating altitude                        | 0 - 5000 m    |
| Viewing angle, vertical        | 178°                                                                                                                                                          | Non-operating altitude                    | 0 - 12192 m   |
| Display number of colours *    | 16.7 million colours                                                                                                                                          | <b>Weight &amp; dimensions</b>            |               |
| Response time (fast)           | 5 ms                                                                                                                                                          | Width (with stand)                        | 491.9 mm      |
| Pixel pitch                    | 0.2493 x 0.241 mm                                                                                                                                             | Depth (with stand)                        | 171 mm        |
| Pixel density                  | 103 ppi                                                                                                                                                       | Height (with stand)                       | 376.9 mm      |
| Horizontal scan range          | 30 - 110 kHz                                                                                                                                                  | Weight (with stand)                       | 2.62 kg       |
| Vertical scan range            | 48 - 100 Hz                                                                                                                                                   | Width (without stand)                     | 491.9 mm      |
| Viewable size, horizontal      | 47.9 cm                                                                                                                                                       | Depth (without stand)                     | 50.4 mm       |
| Viewable size, vertical        | 26 cm                                                                                                                                                         | Height (without stand)                    | 288.6 mm      |
| Viewable size diagonal         | 54.5 cm                                                                                                                                                       | Weight (without stand)                    | 2.29 kg       |

| Display                             |                             | Weight & dimensions                          |                                               |
|-------------------------------------|-----------------------------|----------------------------------------------|-----------------------------------------------|
| Surface hardness                    | 3H                          | Bezel width (side)                           | 6.6 mm                                        |
| NTSC coverage (typical)             | 72%                         | Bezel width (top)                            | 6.6 mm                                        |
| Dell ComfortView technology         | ✓                           | Bezel width (bottom)                         | 1.72 cm                                       |
| Performance                         |                             | Packaging data                               |                                               |
| NVIDIA G-SYNC *                     | ✗                           | Package weight                               | 3.99 kg                                       |
| AMD FreeSync *                      | ✗                           | Warranty card                                | ✓                                             |
| Flicker-free technology             | ✓                           | Packaging content                            |                                               |
| Windows operating systems supported | Windows 10, Windows 11, Yes | Stand included                               | ✓                                             |
| Multimedia                          |                             | Cables included                              | DisplayPort                                   |
| Built-in speaker(s) *               | ✗                           | Quick start guide                            | ✓                                             |
| Built-in camera *                   | ✗                           | DisplayPort cable length                     | 1.8 m                                         |
| Design                              |                             | Sustainability                               |                                               |
| Market positioning *                | Office                      | Sustainability certificates                  | ENERGY STAR, EPEAT Climate +, EPEAT Gold, TCO |
| Front bezel colour                  | Black                       | Doesn't contain                              | Arsenic, Mercury, PVC/BFR                     |
| Feet colour                         | Black                       | Carbon footprint                             |                                               |
| Ports & interfaces                  |                             | Total carbon footprint (kg of CO2e)          | 125                                           |
| Built-in USB hub *                  | ✗                           | Carbon emissions, manufacturing (kg of CO2e) | 57.5                                          |
| VGA (D-Sub) ports quantity          | 1                           | Carbon emissions, logistics (kg of CO2e)     | 7.5                                           |
| HDMI *                              | ✓                           | Carbon emissions, energy usage (kg of CO2e)  | 58.88                                         |
| HDMI version                        | 1.4                         | Carbon emissions, end-of-life (kg of CO2e)   | 1.13                                          |
| DisplayPorts quantity               | 1                           | PAIA version                                 | GaBi version 1, 2024                          |
| DisplayPort version                 | 1.2                         | Other features                               |                                               |
| Headphone out *                     | ✗                           | Compliance certificates                      | RoHS                                          |
| HDCP                                | ✓                           | Brand-specific features                      |                                               |
| HDCP version                        | 1.4                         | Dell Display Manager (DDM) compatibility     | ✓                                             |
| Ergonomics                          |                             | Technical details                            |                                               |
| VESA mounting *                     | ✓                           | Native refresh rate                          | 60 Hz                                         |
| Panel mounting interface            | 100 x 100 mm                |                                              |                                               |
| Cable management                    | ✓                           |                                              |                                               |
| Cable lock slot *                   | ✓                           |                                              |                                               |
| Cable lock slot type                | Kensington                  |                                              |                                               |
| Height adjustment *                 | ✗                           |                                              |                                               |
| Tilt adjustment                     | ✓                           |                                              |                                               |
| Tilt angle range                    | -5 - 21°                    |                                              |                                               |
| On Screen Display (OSD)             | ✓                           |                                              |                                               |
| Plug and Play                       | ✓                           |                                              |                                               |



5397184962404



0884116487425



884116487425



5715328096752



5715328096738



5715328096745

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.