

Epson EB-FH08

Brand : Epson

Product code: V11HB54040

Product name : EB-FH08

Full HD lamp projector, 2x HDMI ports, 3,600 lumens, up to 337 inches large display
Epson EB-FH08. Projector brightness: 3600 ANSI lumens, Projection technology: 3LCD, Projector native resolution: 1080p (1920x1080). Light source type: Lamp, Service life of light source: 6000 h, Service life of light source (economic mode): 12000 h. Focus: Manual, Focal length range: 16.9 - 20.28 mm, Aperture range (F-F): 1.49 - 1.72. Colour modes (2D): Cinema, Dynamic, Video colour modes: Blackboard, Cinema, Dynamic, Photo, sRGB. Service port type: USB Type-B



Projector		Design	
Smart projector *	✗	Market positioning *	Home cinema
Screen size compatibility *	863.6 - 8559.8 mm (34 - 337")	Product colour *	White
Projection distance	1.6 - 1.92 m	Placement	Ceiling, Desktop
Contrast ratio (dynamic)	16000:1	Cable lock slot	✓
Projector brightness *	3600 ANSI lumens	Cable lock slot type	Kensington
Projection technology *	3LCD	Display	
Projector native resolution *	1080p (1920x1080)	Built-in display *	✗
Contrast ratio (typical) *	16000:1	Power	
Native aspect ratio *	16:9	Power source *	AC
Number of colours	16.7 million colours	Power consumption (typical) *	284 W
Projector brightness (economic mode)	2200 ANSI lumens	Power consumption (standby) *	0.3 W
Vertical scan range	192 - 240 Hz	Power consumption (economy mode)	181 W
Keystone correction, horizontal	±30°	AC input voltage	100 - 240 V
Keystone correction, vertical	±30°	AC input frequency	50 - 60 Hz
Matrix size	1.57 cm (0.62")	Operational conditions	
Light source		Operating temperature (T-T)	5 - 35 °C
Light source type *	Lamp	Storage temperature (T-T)	-10 - 60 °C
Service life of light source *	6000 h	Operating relative humidity (H-H)	41 - 95%
Service life of light source (economic mode)	12000 h	Storage relative humidity (H-H)	10 - 90%
Lamp type	UHE	Weight & dimensions	
Lamp power	210 W	Width	302 mm
Lens system		Depth	252 mm
Focus *	Manual	Height	92 mm
Focal length range	16.9 - 20.28 mm	Weight *	2.7 kg
Aperture range (F-F)	1.49 - 1.72	Package width	355 mm
Zoom capability	✓	Package depth	380 mm
Zoom type	Manual	Package height	165 mm
Zoom ratio	1.2:1	Package weight	4.13 kg
Throw ratio	1.21 - 1.45:1		

Video		Packaging content	
Analog signal format system *	Not supported	Remote control included *	✓
Full HD *	✓	Batteries included	✓
3D *	✗	Cables included	AC
Colour modes (2D)	Cinema, Dynamic	AC adapter included	✓
Video colour modes	Blackboard, Cinema, Dynamic, Photo, sRGB	Technical details	
Ports & interfaces		Other features	A/V mute, Auto source search, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick Corner, Split-Screen-Function
Service port type	USB Type-B	Mobile app support	✓
USB 2.0 Type-A ports quantity	1	Power consumption	284 Watt (Normal On-Mode), 181 Watt (Eco On-Mode), 332 Watt (Normal Peak-mode), 231 Watt (Eco Peak-Mode), 0.3 Watt (Energy saving standby)
HDMI ports quantity *	2	Logistics data	
DVI port *	✗	Quantity per pack	1 pc(s)
Network		Products per pallet	72 pc(s)
Smart TV *	✗	Pallet gross length	120 cm
Ethernet LAN *	✗	Pallet gross width	80 cm
Wi-Fi *	✗	Pallet gross height	2.13 m
Storage		Products per pallet layer	6 pc(s)
Card reader integrated *	✗	Products per pallet layer (UK)	6 pc(s)
Features		Products per pallet (UK)	72 pc(s)
Interactive *	✗	Pallet length (UK)	120 cm
Noise level (economic mode)	28 dB	Pallet height (UK)	2.13 m
Noise level (standby)	28 dB	Other features	
Noise level *	37 dB	Option type	Air filter, Ceiling mount, Document camera, Safety wire set, Soft carry case, Wireless LAN unit
Country of origin	Philippines	Interface	USB 2.0 Type B (Service Only), HDMI in (2x), Jack plug out, USB 2.0-A
Password protection	✓	Control panel	0.62 inch with C2 Fine
Multimedia		Audio system	Standard
Built-in speaker(s) *	✓	Box contents	Main unit, Power cable, Quick Start Guide, Remote control incl. batteries, Warranty card
RMS rated power	2 W	Security features	Kensington lock, Padlock, Security cable hole, Password protection



8715946738567

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.