



MSI MAG PANO 110R PZ datoru korpuss & statnis Midi Tower Melns

Zīmols : MSI

Preces kods: MAG PANO 110R PZ

Modeļa nosaukums : MAG PANO 110R PZ

MSI MAG PANO 110R PZ. Formas faktors: Midi Tower, Tips: PC (dators), Produkta krāsa: Melns. Strāvas piegādes vieta: Apakša, Iespējamie barošanas piegādes tipu faktori: ATX. Sānu ventilatori uzmontēti: 3x 120 mm, Atbalstītie sānu ventilatoru izmēri: 120,140 mm, Instalētie aizmugures ventilatori: 1x 120 mm. Atbalstāmie cietā diska izmēri: 2.5,3.5". Platums: 225 mm, Dzīlums: 420 mm, Augstums: 485 mm



Dizains		Dzesēšana	
Materiāls	Rūdītā stikla	Sānu ventilatori uzmontēti	3x 120 mm
Formas faktors *	Midi Tower	Maksimālais sānu ventilatoru skaits	3
Tips *	PC (dators)	Atbalstītie sānu ventilatoru izmēri	120,140 mm
Produkta krāsa *	Melns	Instalētie aizmugures ventilatori	1x 120 mm
Atbalstāmie mātesplates formas faktori *	ATX, mikro ATX, Mini-ATX	Maksimālais aizmugures ventilatoru skaits	1
3.5 " nodalījumu skaits *	2	Atbalstītie aizmugures ventilatoru izmēri	120 mm
2,5" izmēra laidumu skaits	2	Maksimālais augšējo ventilatoru skaits	3
Paplašināšanas slotu skaits	7	Atbalstītie augšējo ventilatoru izmēri	120,140 mm
Sāna logs	✓	Maksimālie apakšējie ventilatori	3
Piemērots	Speļu	Apakšējo ventilatoru izmēri	120,140,160 mm
Illuminācija	✓	Šķidrums atvēršanas spēja	✓
Gaismas novietojums	Korpora ventilatori	Atbalstītie sānu radiatora izmēri	120,240,360 mm
Ieslēgšanas/izslēgšanas poga	✓	Atbalstītie apakšējā radiatora ventilatoru izmēri	120,240,360 mm
LED indikatori	✓	Atbalstītie aizmugures radiatora izmēri	120 mm
Maksimālais CPU vēsinātāja augstums	16 cm	Atbalstītie augšējā radiatora izmēri	120,240,360 mm
Maksimālais grafiskās kartes garums	20 cm	Datu uzglabāšanas līdzekļi	
Maksimālais strāvas piegādes vienības garums	40 cm	Atbalstāmie cietā diska izmēri *	2.5,3.5"
Energijas padeve			
Strāvas barošana iekļauta *	✗		
Strāvas piegādes vieta	Apakša		

Energijas padeve		Svars&dimensijas	
Iespējamie barošanas piegādes tipu faktori	ATX	Platums	225 mm
		Dziļums	420 mm
		Augstums	485 mm
Savienojamība			
USB 3.2 Gen 1 (3.1 Gen 1) A tipa pieslēgvietu skaits *	2		
USB 3.2 Gen 2 (3.1 Gen 2) C tipa pieslēgvietu skaits *	1		
Kopējā pieslēgvietu austiņām/mikrofonam	✓		



4711377293181

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.