



Lindy LHXW-e Austiņas Bezvadu Zvani / mūzika USB Veids-C Bluetooth Mels

Zīmols : Lindy

Preces kods: 73205

Modeļa nosaukums : LHXW-e

Lindy LHXW-e. Produkta veids: Austiņas. Savienojamības tehnoloģija: Bezvadu, Bluetooth. Ieteicamais pielietojums: Zvani / mūzika. Austiņu frekvence: 20 - 20000 Hz. Kabeļa garums: 0,15 m. Svars: 250 g. Produkta krāsa: Mels



Darbības rādītāji		Baterija	
Produkta veids *	Austiņas	Nepārtrauktas audio atskaņošanas laiks (ar ANC)	32 h
Valkāšanas stils *	Austiņas	Nepārtrauktas audio atskaņošanas laiks (bez ANC)	55 h
Ieteicamais pielietojums *	Zvani / mūzika	Ārējās vides apstākļi	
Austiņu veids *	Binaurālās	Darbības temperatūras amplitūda (T-T)	-10 - 50 °C
Produkta krāsa *	Mels	Darbības relatīvā mitruma amplitūda	25 - 70%
Skaļuma kontrole	Poga	Uzglabāšanas temperatūras amplitūda (T-T)	-10 - 50 °C
Kontroles tips	Pogas	Ilgtspēja	
Kabeļa garums	0,15 m	Ilgtspējas atbilstība	✓
Regulējama galvas saite	✓	Svars&dimensijas	
Apvalka materiāls	Akrilnitrilbutadiēnstirēnterpolimēra (ABS)	Platums	195 mm
Sertifikācija	CE, UKCA, FCC, RoHS, REACH & California Proposition 65	Dziļums	50 mm
Savienojamība		Augstums	200 mm
Savienojamības tehnoloģija *	Bezvadu	Svars	250 g
USB savienotājs	USB Veids-C	Informācija par iepakojumu	
Bluetooth	✓	Iepakojuma platums	190 mm
Bluetooth versija	5.3	Iepakojuma dziļums	70 mm
Austiņas		Iepakojuma augstums	225 mm
Maksimālā ieejas jauda	1 mW	Iepakojuma svars	510 g
Osu savienošana *	Ausi pārklājošas	Iepakojuma tips	Kaste
Austiņu frekvence	20 - 20000 Hz	Iepakojuma saturs	
Austiņu jutīgums	35 dB	AC adapteris komplektā *	✗
Draivera vienība	4 cm	Ātrās startēšanas gids	✓
Trokšņu slāpēšana	✓		
Trokšņa slāpēšanas veids	Hibrīds		
Kopējie harmoniskie kropļojumi (THD)	1%		

Austiņas		Iepakojuma saturs	
Diafragmas diametrs	4 cm	Futlāris, apvalks pārnēsāšanai	✓
Mikrofons		Pievienoti kabeli	USB Veids-C
Mikrofona veids *	Iebūvēta	Austiņu polsterējuma materiāls	Proteīna āda
Baterija		Energijas pārvaldība	
Ar akumulatoru darbināms	✓	USB Type-C uzlādes ports *	✓
		Sertifikāti	
Baterijas tips	Iebūvēta baterija	Atbilstības sertifikāti	CE, Federālā komunikāciju komisija, REACH, RoHS, UKCA
Baterijas tehnoloģija	Litijs		
Baterijas performance	500 mAh		



4002888732055

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.