



D-Link DWM-222W/R tīkla karte WLAN 286,8 Mbit/s

Zīmols : D-Link
Preces kods: DWM-222W/R
Modeļa nosaukums : DWM-222W/R

D-Link DWM-222W/R. Savienojamības tehnoloģija: Bezvadu, Saimnieka interfeiss: USB, Interfeiss: WLAN. Maksimālais datu pārraides ātrums: 286,8 Mbit/s, Wi-Fi standarts: Wi-Fi 6 (802.11ax), Wi-Fi josla: Viena frekvenču josla (2.4 GHz). Produkta krāsa: Balts



Savienojamība		Dizains	
Savienojamības tehnoloģija *	Bezvadu	Antena	✓
Saimnieka interfeiss *	USB	Antenas forma	Ārējs
Interfeiss *	WLAN	Sistēmas prasības	
USB savienotāja tips	Taisni		
USB versija	2.0	Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	
Tīklošana			
Maksimālais datu pārraides ātrums *	286,8 Mbit/s		
Tīkla standarts *	IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n		
Wi-Fi	✓		
Wi-Fi josla	Viena frekvenču josla (2.4 GHz)		
Wi-Fi standarts	Wi-Fi 6 (802.11ax)		
Wi-Fi standartu	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6 (802.11ax)		
3G standarti	WCDMA		
4G standarti	LTE		
Mobilā tīkla paaudze	4G		
SIM kartes spējas	Viena SIM		
SIM kartes slots	✓		
Dizains			
Komponente *	PC / portatīvais dators		
Produkta krāsa	Balts		
Iekšējs *	✗		
		Ārējās vides apstākļi	
		Darbības temperatūras amplitūda (T-T)	0 - 45 °C
		Uzglabāšanas temperatūras amplitūda (T-T)	-20 - 70 °C
		Darbības relatīvā mitruma amplitūda	5 - 95%
		Uzglabāšanas relatīvā mitruma amplitūda	5 - 95%

Svars&dimensijas	
Platums	105,1 mm
Dziļums	32,5 mm
Augstums	13 mm
Svars	30 g
Iepakojuma saturs	
Ātrās instalācijas gids	✓
Logistiskie dati	
Transportējamās kastes svars	8,06 kg



0790069476983



790069476983

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.