



TP-Link EX520 bezvadu rūteris Tīkls Gigabit Ethernet Divkāšā frekvenču josla (2.4 GHz / 5 GHz) Melns

Zīmols : TP-Link

Preces kods: EX520

Modeļa nosaukums : EX520

TP-Link EX520. WAN savienojuma veids: RJ-45. Wi-Fi josla: Divkāšā frekvenču josla (2.4 GHz / 5 GHz), Wi-Fi standarts: Wi-Fi 6 (802.11ax), WLAN datu pārraides ātrums (maks.): 1775 Mbit/s. Ethernet LAN saskarnes tips: Tīkls Gigabit Ethernet, Ethernet LAN datu pārsūtīšanas ātrums: 10,100,1000 Mbit/s. Drošības algoritma atbalstīts: WPA, WPA2, WPA3-Enterprise. Produkta veids: Galda rūteris, Produkta krāsa: Melns



WAN savienojums		Vadības īpašības	
Ethernet WAN *	✓	MIMO	✓
DSL WAN *	✗	Drošība	
SIM kartes slots *	✗	Drošības algoritma atbalstīts	WPA, WPA2, WPA3-Enterprise
3G/4G USB modema saderība *	✗	Protokoli	
WAN savienojuma veids	RJ-45	DHCP serveris	✓
Bezvadu LAN īpašības		Dizains	
Wi-Fi josla *	Divkāšā frekvenču josla (2.4 GHz / 5 GHz)	Produkta krāsa	Melns
Wi-Fi standarts *	Wi-Fi 6 (802.11ax)	Produkta veids *	Galda rūteris
WLAN datu pārraides ātrums (maks.) *	1775 Mbit/s	Sertifikāti	
Wi-Fi standartu	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Sertifikācija	CE
WLAN datu pārraides ātrums (pirmā josla)	1201 Mbit/s	Iepakojuma saturs	
WLAN datu pārraides ātrums (otrā josla)	574 Mbit/s	Pievienoti kabeli	LAN (RJ-45)
Tīklošana		AC adapteris komplektā	✓
Ethernet/LAN savienojums *	✓	Antena iekļauta	✓
Ethernet LAN saskarnes tips *	Tīkls Gigabit Ethernet	Ātrās instalācijas gids	✓
Ethernet LAN datu pārsūtīšanas ātrums	10,100,1000 Mbit/s	Antena	
Portu pāradresācija	✓	Antenas forma *	Ārējs
VPN Passthrough	✓	Antenu daudzums	4
Mobilā tīkla savienojamība		Enerģijas pārvaldība	
Mobilā tīkla paaudze	Netiek atbalstīts	Barošanas avota veids *	Līdzstrāvas
Savienojamība		Izejas spriegums	12 V
Ethernet LAN (RJ-45) pieslēgvietu skaits *	4	Izejas strāva	1,5 A
USB pieslēgvietā *	✗	Ārējās vides apstākļi	
DC ieejas ligzda	✓	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
		Uzglabāšanas temperatūras amplitūda (T-T)	-40 - 60 °C
		Darbības relatīvā mitruma amplitūda	10 - 90%
		Uzglabāšanas relatīvā mitruma amplitūda	5 - 90%

Vadības īpašības		Svars&dimensijas	
Quality of Service (QoS) atbalsts	✓	Platums	182,7 mm
Atiestates poga	✓	Dziļums	94 mm
WPS poga	✓	Augstums	33,3 mm
MU-MIMO tehnoloģija	✓		



4897098684795

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.