



Tefal Ultimate Pure FV9852E0 утюг Утюг для сухой глажки и отпаривания Durilium AirGlide Autoclean soleplate 3200 W Черный, Медный

Производитель : Tefal **Семейство продуктов:** Ultimate Pure **Код товара:** FV9852E0

Модель : FV9852E0

Tefal Ultimate Pure FV9852E0. Тип: Утюг для сухой глажки и отпаривания, Тип рабочей поверхности: Durilium AirGlide Autoclean soleplate, Длина шнура: 2,5 m. Потребляемая мощность утюга: 3200 W, Входящее напряжение сети: 220 - 240 V, Частота входящего переменного тока: 50 - 60 Hz. Ширина: 152 mm, Глубина: 317 mm, Высота: 155 mm. Ширина упаковки: 327 mm, Глубина упаковки: 168 mm, Высота упаковки: 197 mm. Количество в паллете: 72 шт, Количество продуктов в одном ряду: 24 шт, Количество в упаковке: 1 шт



Свойства		Свойства	
Тип *	Утюг для сухой глажки и отпаривания	Тип управления	Кнопки, Вращающийся
Тип рабочей поверхности *	Durilium AirGlide Autoclean soleplate	Индикация	
Автовыключение *	✓	Видимый уровень воды	✓
Самоочистка *	✗	Индикатор накипи	✓
Цвет товара *	Черный, Медный	Энергопитание	
Функция парового удара *	✓	Потребляемая мощность утюга *	3200 W
Постоянная подача пара *	✓	Входящее напряжение сети	220 - 240 V
Постоянная подача пара *	60 г/мин	Частота входящего переменного тока	50 - 60 Hz
Непрерывная диффузия пара	Сердце, Сторона, наконечник	Вес и размеры	
Автоматическое удаление накипи *	✓	Ширина	152 mm
Емкость водного резервуара *	0,35 L	Глубина	317 mm
Тип резервуара для воды	Встроенный	Высота	155 mm
Коллектор сбора накипи	✓	Вес	2,23 kg
Устойчивое вертикальное положение	✓	Данные об упаковке	
Переменный пар *	✓	Ширина упаковки	327 mm
Длина шнура *	2,5 m	Глубина упаковки	168 mm
Производительность парового напора *	300 г/мин	Высота упаковки	197 mm
Функция "без капель" *	✓	Масса брутто	2,37 kg
Система против накипи	✓	Тип упаковки	Коробочная версия
Функция вертикального пара *	✓	Логистические данные	
Функция распыскивания *	✓	Количество в паллете	72 шт
Функция очистки от накипи	✓	Количество продуктов в одном ряду	24 шт
Оценка скольжения подошвы	5	Количество в упаковке	1 шт
		Количество в интермодальном контейнере (20-футовый)	2160 шт

Свойства		Логистические данные	
Оценка стойкости к царапинам подошвы	5	Количество в интермодальном контейнере (40-футовый)	4464 шт
Автоотключение	✓	Количество слоев в палете	3 шт



3121040095737

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.