



DELL Plus S2725DC computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD White

Brand : DELL

Product family: Plus

Product code: DELL-S2725DC

Product name : S2725DC

- 68.6cm (27") Quad HD 2560 x 1440 Edge-Lit IPS
- 8ms, 16:9, 350cd/m², 1500:1
- USB, HDMI, DisplayPort
68.6cm (27") Quad HD 2560 x 1440 Edge-Lit IPS, 16:9, 350cd/m², 16.7M, 8ms, 178°/178°, 1500:1

DELL Plus S2725DC computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD White:

Elevate all your entertainment needs with this 27-inch QHD monitor. Featuring a 144Hz refresh rate, USB-C connectivity, built-in speakers, and TÜV 4-star certification for eye comfort.
DELL Plus S2725DC. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: White



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Cable management	✓
Display resolution *	2560 x 1440 pixels	Cable lock slot *	✓
HD type *	Quad HD	Cable lock slot type	Kensington
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	LCD	Adjustable height (max)	11 cm
Panel type *	IPS	Pivot	✓
LED backlight	✓	Pivot angle	-90 - 90°
Backlight type	Edge-Lit	Swivelling	✓
Touchscreen *	✗	Swivel angle range	-30 - 30°
Display brightness (typical)	350 cd/m²	Tilt adjustment	✓
Response time *	8 ms	Tilt angle range	-5 - 21°
Response time measurement type	GTG (Gray to Gray)	On Screen Display (OSD)	✓
Response time (MPRT)	1 ms	Plug and Play	✓
Anti-glare screen	✓	LED indicators	✓
Screen shape *	Flat		
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080), 2560 x 1440	Power	
		Energy efficiency class (SDR) *	E
Supported video modes	480p, 576p, 720p, 1080p	Energy efficiency class (HDR) *	Not available
Contrast ratio (typical) *	1500:1	Energy consumption (SDR) per 1000 hours *	21 kWh
Maximum refresh rate *	144 Hz	Power consumption (typical) *	21.4 W
Viewing angle, horizontal	178°	Power consumption (standby) *	0.3 W
Viewing angle, vertical	178°	Power consumption (max)	175 W
Display number of colours *	16.7 million colours	Power consumption (off)	0.3 W
Response time (fast)	5 ms	AC input voltage	100 - 240 V
Pixel pitch	0.2331 x 0.2331 mm	AC input frequency	50/60 Hz
Pixel density	109 ppi	Power supply type	Internal
Viewable size, horizontal	59.7 cm	Energy efficiency scale	A to G
Viewable size, vertical	33.6 cm	Operational conditions	
Viewable size diagonal	68.5 cm	Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-20 - 60 °C

Display		Operational conditions	
Digital horizontal frequency	27 - 218 kHz	Operating relative humidity (H-H)	10 - 80%
Digital vertical frequency	48 - 144 Hz	Storage relative humidity (H-H)	10 - 90%
Surface hardness	3H	Operating altitude	0 - 5000 m
sRGB coverage (typical)	99%	Non-operating altitude	5000 - 12192 m
Performance		Weight & dimensions	
NVIDIA G-SYNC *	✗	Width (with stand)	611.3 mm
AMD FreeSync *	✓	Depth (with stand)	201.8 mm
Low Blue Light technology	✓	Height (with stand)	500.1 mm
Multimedia		Weight (with stand)	6.18 kg
Number of speakers	2	Width (without stand)	611.3 mm
RMS rated power	6 W	Depth (without stand)	58.9 mm
Built-in speaker(s) *	✓	Height (without stand)	356 mm
Built-in camera *	✗	Weight (without stand)	4.62 kg
Design		Bezel width (side)	7.3 mm
Market positioning *	Office	Bezel width (top)	7.3 mm
Product colour *	White	Bezel width (bottom)	1.3 cm
Colour name	Ash White	Packaging data	
Front bezel colour	Black	Package weight	8.86 kg
Detachable stand	✓	Packaging content	
Feet colour	White	Stand included	✓
Ports & interfaces		Cables included	AC, USB Type-C to USB Type-C
Built-in USB hub *	✓	Sustainability	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability certificates	ENERGY STAR
USB upstream port type	USB Type-C	Doesn't contain	Arsenic, Mercury, PVC/BFR
Number of USB Type-C upstream ports quantity	1	Carbon footprint	
USB Type-A downstream ports quantity	2	Total carbon footprint (kg of CO2e)	587
USB Type-C downstream ports quantity	1	Total carbon emissions, standard deviation (kg of CO2e)	142
USB Type-C DisplayPort Alternate Mode	✓	Carbon emissions, manufacturing (kg of CO2e)	366.25
USB Power Delivery (USB PD)	✓	Carbon emissions, logistics (kg of CO2e)	48.16
USB Power Delivery up to	65 W	Carbon emissions, energy usage (kg of CO2e)	166.88
HDMI *	✓	Carbon emissions, end-of-life (kg of CO2e)	5.52
HDMI ports quantity	1	PAIA version	1.3.2, 2022
HDMI version	2.1	Other features	
DisplayPorts quantity	1	Compliance certificates	RoHS
DisplayPort out version	1.4	Technical details	
Headphone out *	✗	Native refresh rate	60 Hz
HDCP	✓		
HDCP version	1.4		
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Wall mountable	✓		



5397184963005



5715328368064

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.