

Zyxel Nebula FWA70 bezvadu r teris 2.5 Gigabit Ethernet 5G

Z mols : Zyxel

Preces kods: FWA70-EU0102F

Modeļa nosaukums : Nebula FWA70

Zyxel Nebula FWA70. WAN savienojuma veids: RJ-45. Ethernet LAN saskarnes tips: 2.5 Gigabit Ethernet, Ethernet LAN datu p rs t šanas  trums: 2500 Mbit/s, T kla standarts: IEEE 802.3af, IEEE 802.3at. Mobil  t kla paaudze: 5G, 4G standarti: LTE-TDD & LTE-FDD, SIM kartes veids: NanoSIM. International Protection (IP) code: IP55, LED indikatori: Status. Sertifik cija: CE UKCA WEEE HSF (Hazardous Substance Free)



WAN savienojums		Dizains	
Ethernet WAN *	�	International Protection (IP) code	IP55
SIM kartes slots *	�	LED indikatori	Status
WAN savienojuma veids	RJ-45	Sertifik�ti	
T�klo�ana		Sertifik�cija	CE UKCA WEEE HSF (Hazardous Substance Free)
Ethernet/LAN savienojums *	�	Iepakojuma saturs	
Ethernet LAN saskarnes tips *	2.5 Gigabit Ethernet	Pievienoti kabeli	LAN (RJ-45)
Ethernet LAN datu p�rs�t�šanas �trums	2500 Mbit/s	PoE in�ektors iek�auts	�
T�kla standarts	IEEE 802.3af, IEEE 802.3at	Antena	
Portu p�radres�cija	�	Antenas forma *	Iek��js
Porta nostr�de	�	Antenas sasnieg�m�bas l�menis (max)	9 dBi
VPN Passthrough	�	Antenu daudzums	4
Mobil� t�kla savienojam�ba		Energ�jas p�rvald�ba	
Mobil� t�kla paaudze	5G	Baro�anas avota veids *	L�dzstr�vas, PoE
4G standarti	LTE-TDD & LTE-FDD	Energ�ja pat�ri���	15 W
SIM kartes veids	NanoSIM	�r�j�s vides apst�k�i	
Savienojam�ba		Darb�bas temperat�ras amplit�da (T-T)	-30 - 55 �C
Ethernet LAN (RJ-45) pies�lgvietu skaits *	1	Uzglab��anas temperat�ras amplit�da (T-T)	-40 - 70 �C
USB pies�lgvieta *	�	Darb�bas relat�v� mitruma amplit�da	5 - 95%
DC ieejas l�gzda	�	Uzglab��anas relat�v� mitruma amplit�da	5 - 95%
Vad�bas �pa��bas		Svars&dimensijas	
Atiestates poga	�	Platums	68 mm
Dro��ba			
Pake�u st�vok�ļa p�rbaude (SPI)	�		

Drošība		Svars&dimensijas	
MAC adreses filtrēšana	✓	Dziļums	150 mm
IP adreses filtrēšana	✓	Augstums	200 mm
URL filtrēšana	✓	Svars	660 g
DMZ atbalsts	✓	Informācija par iepakojumu	
Tīkla adresu translēšana (NAT)	✓	Iepakojuma platums	225 mm
Protokoli		Iepakojuma dziļums	275 mm
DHCP serveris	✓	Iepakojuma augstums	100 mm
Universal Plug and Play (UPnP)	✓	Iepakojuma svars	1,36 kg
		Iepakojuma tips	Kaste



4718937652860

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.