

Epson EB-L690U

Brand : Epson

Product code: V11HB29040

Product name : EB-L690U

6500 lum, WUXGA, 3LCD, 1920 x 1200, 500", 1.6x Zoom, 2:1, 10 W, 30000 h, AirPlay 2, Miracast, White, Plastic

Epson EB-L690U. Projector brightness: 6500 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Focal length range: 20 - 31.8 mm, Aperture range (F-F): 1.5 - 1.7. Supported graphics resolutions: 1920 x 1200 (WUXGA), Video processing: 10 bit, Colour modes (2D): Cinema, Dynamic, Natural. Noise level: 32 dB, Noise level (economic mode): 25 dB, Country of origin: Philippines



Projector		Design	
Smart projector *	✓	Product colour *	White
Screen size compatibility *	1270 - 12700 mm (50 - 500")	Housing material	Plastic
Projection distance	1.44 - 23.84 m	Placement	Ceiling, Desktop
Projection distance (wide)	1.4 - 14.8 m	Cable lock slot	✓
Projection distance (tele)	2.4 - 23.8 m	Cable lock slot type	Kensington
Contrast ratio (dynamic)	5000000:1	Display	
Projector brightness *	6500 ANSI lumens	Built-in display *	✗
Projection technology *	3LCD	Power	
Projector native resolution *	WUXGA (1920x1200)	Power source *	USB
Native aspect ratio *	16:10	AC input voltage	100 - 240 V
Number of colours	1.07 billion colours	AC input frequency	50 - 60 Hz
Projector brightness (economic mode)	4550 ANSI lumens	Supplier features	
Keystone correction, horizontal	±30°	Material	Recycled plastic
Keystone correction, vertical	±30°	Operational conditions	
Light source		Storage temperature (T-T)	-10 - 60 °C
Light source type *	Laser	Operating relative humidity (H-H)	20 - 80%
Service life of light source *	20000 h	Storage relative humidity (H-H)	10 - 90%
Service life of light source (economic mode)	30000 h	Weight & dimensions	
Lens system		Width	440 mm
Focus *	Manual	Depth	340 mm
Focal length range	20 - 31.8 mm	Height	138 mm
Aperture range (F-F)	1.5 - 1.7	Weight *	8.2 kg
Zoom capability	✓	Package width	510 mm
Zoom type	Manual	Package depth	515 mm
Zoom ratio	1.6:1	Package height	230 mm
Throw ratio	1.35 - 2.20:1	Package weight	12.2 kg
Horizontal lens shift range	-20 - -20%	Packaging content	
Vertical lens shift range	-50 - -50%	Remote control included *	✓
Video		Batteries included	✓
Full HD *	✓	Cables included	Power
Supported graphics resolutions	1920 x 1200 (WUXGA)	Manual	✓
Video processing	10 bit		
Colour modes (2D)	Cinema, Dynamic, Natural		
Video colour modes	BT.709, Cinema, DICOM simulation mode, Dynamic, Multi-projection, Natural, Presentation		

Ports & interfaces		Technical details	
HDBaseT port	✓	Other features	21:9 aspect ratio support, A/V mute, Auto Power On, Built-in speaker, Customizable user logo, Direct Power on/off, Document Camera Compatible, Edge Blending, Home Screen, JPEG Viewer, Network projection, OSD copy function, PC Free, Point correction, Quick Corner, Schedule Function, Screen Mirroring, Split-Screen-Function, Ultra-wide display (16:6), Web Control, Web Remote, Wireless LAN capable, iProjection App
USB 2.0 Type-A ports quantity	1		
HDMI ports quantity *	1		
Network			
Ethernet LAN *	✓		
Miracast	✓		
Apple AirPlay 2 support	✓		
Features		Warranty period	3 year(s)
Noise level (economic mode)	25 dB		
Noise level *	32 dB		
Country of origin	Philippines		
High Dynamic Range (HDR) supported	✓	Power consumption	336 Watt (Normal On-Mode), 233 Watt (Eco On-Mode), 399 Watt (Normal Peak-mode), 295 Watt (Eco Peak-Mode), 0.4 Watt (Energy saving standby)
Password protection	✓		
Multimedia		Logistics data	
Built-in speaker(s) *	✓	Quantity per pack	1 pc(s)
RMS rated power	10 W	Products per pallet	18 pc(s)
Number of built-in speakers	1	Products per pallet layer	2 pc(s)
Design		Products per pallet layer (UK)	2 pc(s)
Product type *	Standard throw projector	Products per pallet (UK)	18 pc(s)
Other features			
		Option type	Air filter, Camera module, Ceiling mount, Document camera, External Speaker, HDBaseT Transmitter, Safety wire set, Suspension adapter, WP System - ELPWP20
		Interface	USB 2.0-A (2x), USB 2.0 Type B (Service Only), RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, HDMI out, HDBaseT, Miracast, Jack plug out, HDMI (HDCP 2.3) (2x), Near Field Communication (NFC), Apple AirPlay 2
		Control panel	0.67 inch with C2 Fine
		Supported network protocols	HTTPS, SNMP, ESC/VP.net, PJLink
		Box contents	Main unit, Power cable, Quick Start Guide, Remote control incl. batteries, User guide, Warranty document
		Security features	Kensington lock, Control panel lock, Padlock, Security cable hole, Wireless LAN unit lock, Password protection



8715946737980

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.