



Unold Backmeister Bernd 68120 bread maker 550 W White

Brand : Unold

Product code: BACKMEISTER BERND 68120

Product name : Backmeister Bernd 68120

Unold Backmeister Bernd 68120. Housing material: Plastic, Product colour: White, Maximum bread weight: 1 kg. Power: 550 W, AC input voltage: 220-240 V, AC input frequency: 50/60 Hz. Width: 314 mm, Depth: 260 mm, Height: 280 mm. Package width: 338 mm, Paper packaging weight: 528 g, Plastic packaging weight: 126 g. Manual languages: German, Dutch, English, Spanish, French, Italian, Polish



Features		Weight & dimensions	
Viewing window *	✓	Weight	3.35 kg
Housing material *	Plastic	Certificates	
Product colour *	White	Waste Electrical and Electronic Equipment (WEEE) compliance	✓
Jam making function *	✓	Packaging data	
Minimum bread weight	500 g	Package width	338 mm
Maximum bread weight *	1 kg	Paper packaging weight	528 g
Built-in display *	✓	Plastic packaging weight	126 g
Backlight display	✓	Package depth	298 mm
Delayed start timer *	✓	Package height	325 mm
Timer	✓	Package weight	4.6 kg
Variable crust browning control *	✓	Packaging content	
Variable crust browning levels	Dark, Light, Medium	Manual	✓
Delay start (max)	15 h	Kneading paddle removing tool	✓
Number of gluten-free programs	1	Measuring cup	✓
Removable pan	✓	Measuring scoop included	✓
Removable kneading paddle	✓	Manual languages	German, Dutch, English, Spanish, French, Italian, Polish
Number of auto cooking programs *	19	Other features	
Non-slip feet	✓	Warranty period	2 year(s)
Overheat protection	✓	Logistics data	
Hot keeping time	60 min	Products per shipping (inner) case	1 pc(s)
Easy to clean	✓	Shipping (inner) case length	35.5 cm
Yogurt maker programs	Yogurt	Shipping (inner) case width	31 cm
Cord length	1 m	Shipping (inner) case height	3.4 m
Power		Pallet gross length	120 cm
Power *	550 W	Pallet gross width	80 cm
AC input voltage	220-240 V	Pallet gross height	188 cm
AC input frequency	50/60 Hz	Customs product code (TARIC)	85166090
Power plug	Type E/F (CEE 7/7)	Master (outer) case width	355 mm
Weight & dimensions		Master (outer) case length	310 mm
Width	314 mm	Master (outer) case height	343 mm
Depth	260 mm	Master (outer) case gross weight	5 kg
Height	280 mm		

Logistics data

Products per master (outer) case 1 pc(s)



4011689681202

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.