



## DELL Pro E2726HS computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black

**Brand :** DELL

**Product family:** Pro

**Product code:** DELL-E2726HS

**Product name :** E2726HS

- 68.6cm (27") Full HD 1920 x 1080 IPS  
- 8ms, 16:9, 300cd/m<sup>2</sup>, 1000:1  
- VGA, HDMI, DisplayPort  
68.6cm (27") Full HD 1920 x 1080 IPS, 16:9, 300cd/m<sup>2</sup>, 16.7M, 8ms, 178°/178°, 1000:1

**DELL Pro E2726HS computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black:**

Get the essentials to enhance productivity with this 27-inch height-adjustable monitor certified by TÜV Rheinland® for 3-star eye comfort.

DELL Pro E2726HS. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black



| Display                        |                                                                                                                                                                        | Ergonomics                                |                |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|----------------|
| Display diagonal *             | 68.6 cm (27")                                                                                                                                                          | Pivot angle                               | -90 - 90°      |
| Display resolution *           | 1920 x 1080 pixels                                                                                                                                                     | Swivelling                                | ✓              |
| HD type *                      | Full HD                                                                                                                                                                | Swivel angle range                        | -173 - 173°    |
| Native aspect ratio *          | 16:9                                                                                                                                                                   | Tilt adjustment                           | ✓              |
| Display technology *           | LCD                                                                                                                                                                    | Tilt angle range                          | -5 - 21°       |
| Panel type *                   | IPS                                                                                                                                                                    | On Screen Display (OSD)                   | ✓              |
| LED backlight                  | ✓                                                                                                                                                                      | Plug and Play                             | ✓              |
| Touchscreen *                  | ✗                                                                                                                                                                      | <b>Power</b>                              |                |
| Display brightness (typical)   | 300 cd/m <sup>2</sup>                                                                                                                                                  | Energy efficiency class (SDR) *           | D              |
| Response time *                | 8 ms                                                                                                                                                                   | Energy efficiency class (HDR) *           | Not available  |
| Response time measurement type | GTG (Gray to Gray)                                                                                                                                                     | Energy consumption (SDR) per 1000 hours * | 17 kWh         |
| Anti-glare screen              | ✓                                                                                                                                                                      | Power consumption (typical) *             | 16.9 W         |
| Screen shape *                 | Flat                                                                                                                                                                   | Power consumption (standby) *             | 0.3 W          |
| Supported graphics resolutions | 640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 1200 (UXGA), 1600 x 900, 1920 x 1080 (HD 1080) | Power consumption (max)                   | 38 W           |
|                                |                                                                                                                                                                        | Power consumption (off)                   | 0.3 W          |
| Supported video modes          | 480p, 576p, 720p, 1080p                                                                                                                                                | AC input voltage                          | 100 - 240 V    |
| Contrast ratio (typical) *     | 1000:1                                                                                                                                                                 | AC input frequency                        | 50/60 Hz       |
| Maximum refresh rate *         | 100 Hz                                                                                                                                                                 | Input current                             | 1.5 A          |
| Viewing angle, horizontal      | 178°                                                                                                                                                                   | Power supply type                         | Internal       |
| Viewing angle, vertical        | 178°                                                                                                                                                                   | Energy efficiency scale                   | A to G         |
| Display number of colours *    | 16.7 million colours                                                                                                                                                   | <b>Operational conditions</b>             |                |
| Response time (fast)           | 5 ms                                                                                                                                                                   | Operating temperature (T-T)               | 0 - 40 °C      |
| Pixel pitch                    | 0.3114 x 0.3114 mm                                                                                                                                                     | Storage temperature (T-T)                 | -20 - 60 °C    |
| Pixel density                  | 82 ppi                                                                                                                                                                 | Operating relative humidity (H-H)         | 10 - 80%       |
| Horizontal scan range          | 30 - 83 kHz                                                                                                                                                            | Storage relative humidity (H-H)           | 5 - 90%        |
| Vertical scan range            | 48 - 76 Hz                                                                                                                                                             | Operating altitude                        | 0 - 5000 m     |
| Viewable size, horizontal      | 59.8 cm                                                                                                                                                                | Non-operating altitude                    | 5000 - 12192 m |
| Viewable size, vertical        | 33.6 cm                                                                                                                                                                | <b>Weight &amp; dimensions</b>            |                |
| Digital horizontal frequency   | 30 - 110 kHz                                                                                                                                                           | Width (with stand)                        | 610.7 mm       |

| Display                    |              | Weight & dimensions                          |                           |
|----------------------------|--------------|----------------------------------------------|---------------------------|
| Digital vertical frequency | 48 - 100 Hz  | Depth (with stand)                           | 211.6 mm                  |
| Surface hardness           | 3H           | Height (with stand)                          | 514.6 mm                  |
| NTSC coverage (typical)    | 72%          | Weight (with stand)                          | 4.6 kg                    |
| Performance                |              | Width (without stand)                        | 610.7 mm                  |
| NVIDIA G-SYNC *            | ✗            | Depth (without stand)                        | 55.1 mm                   |
| AMD FreeSync *             | ✗            | Height (without stand)                       | 355 mm                    |
| Flicker-free technology    | ✓            | Weight (without stand)                       | 3.09 kg                   |
| Low Blue Light technology  | ✓            | Bezel width (side)                           | 6.4 mm                    |
| Multimedia                 |              | Bezel width (top)                            | 6.4 mm                    |
| Number of speakers         | 2            | Bezel width (bottom)                         | 1.23 cm                   |
| RMS rated power            | 4 W          | Packaging data                               |                           |
| Built-in speaker(s) *      | ✓            | Package weight                               | 7.1 kg                    |
| Built-in camera *          | ✗            | Packaging content                            |                           |
| Design                     |              | Stand included                               | ✓                         |
| Market positioning *       | Office       | Cables included                              | AC, HDMI                  |
| Product colour *           | Black        | HDMI cable length                            | 1.8 m                     |
| Front bezel colour         | Black        | Sustainability                               |                           |
| Detachable stand           | ✓            | Sustainability certificates                  | ENERGY STAR, TCO          |
| Feet colour                | Black        | Doesn't contain                              | Arsenic, Mercury, PVC/BFR |
| Ports & interfaces         |              | Carbon footprint                             |                           |
| Built-in USB hub *         | ✗            | Total carbon footprint (kg of CO2e)          | 189                       |
| VGA (D-Sub) ports quantity | 1            | Carbon emissions, manufacturing (kg of CO2e) | 89.21                     |
| HDMI *                     | ✓            | Carbon emissions, logistics (kg of CO2e)     | 13.23                     |
| HDMI ports quantity        | 1            | Carbon emissions, energy usage (kg of CO2e)  | 82.78                     |
| DisplayPorts quantity      | 1            | Carbon emissions, end-of-life (kg of CO2e)   | 3.78                      |
| DisplayPort out version    | 1.4          | PAIA version                                 | GaBi version 1, 2025      |
| Headphone out *            | ✗            | Other features                               |                           |
| HDCP                       | ✓            | Compliance certificates                      | RoHS                      |
| HDCP version               | 1.4          |                                              |                           |
| Ergonomics                 |              |                                              |                           |
| VESA mounting *            | ✓            |                                              |                           |
| Panel mounting interface   | 100 x 100 mm |                                              |                           |
| Cable management           | ✓            |                                              |                           |
| Cable lock slot *          | ✓            |                                              |                           |
| Height adjustment *        | ✓            |                                              |                           |
| Adjustable height (max)    | 13 cm        |                                              |                           |
| Pivot                      | ✓            |                                              |                           |




5397321028826




0884116692454



884116692454



2000001411339



0884116700487



884116700487

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.