



BenQ MH560C 3800 ANSI lūmeni DLP 1080p (1920x1080) 3D saderība Balts

Zīmols : BenQ

Preces kods: 9H.JRF77.1NE

Modeļa nosaukums : MH560C



BenQ MH560C. Projektora spilgtums: 3800 ANSI lūmeni, Projicēšanas tehnoloģija: DLP, Projektora izšķirtspēja: 1080p (1920x1080). Gaismas avota tips: Lampa, Gaismas avota kalpošanas laiks: 6000 h, Gaismas avota kalpošanas laiks (ekonomiskais režīms): 10000 h. Tālummaiņas attiecība: 1:1, Nobīde: 108%. Seriālā interfeisa tips: RS-232, HDMI versija: 1.4a. Trokšņu līmenis: 34 dB, Trokšņa līmenis (ekonomiskā režīmā): 29 dB



Projektors		Savienojamība	
Viedais projektors *	×	DVI pieslēgvietā *	×
Ekrāna izmēra saderība *	1778 - 3810 mm (70 - 150")	Tīklošana	
Objektīva projicēšanas distance	2,3 - 5,4 m	Viedtelevizors *	×
Projektora spilgtums *	3800 ANSI lūmeni	Ethernet/LAN savienojums *	×
Projicēšanas tehnoloģija *	DLP	Wi-Fi *	×
Projektora izšķirtspēja *	1080p (1920x1080)	Datu uzglabāšanas līdzekļi	
Kontrasta attiecība (tipiskā) *	15000:1	Integrēts karšu lasītājs *	×
Projektora formātu attiecība *	16:9	Īpašības	
Krāsu skaits	1,07 miljardi krāsu	Interaktīvs *	×
Horizontālās izvēršanas amplitūda	15 - 102 kHz	Trokšņa līmenis (ekonomiskā režīmā)	29 dB
Vertikālais izvēršanas diapazons	24 - 120 Hz	Trokšņu līmenis *	34 dB
Trapeces korekcija, vertikāli	-40 - 40°	Multimediji	
Gaismas avots		Iebūvēti skaļruņi *	✓
Gaismas avota tips *	Lampa	RMS nominālā jauda	10 W
Gaismas avota kalpošanas laiks *	6000 h	Iebūvēto skaļruņu skaits	1
Gaismas avota kalpošanas laiks (ekonomiskais režīms)	10000 h	Dizains	
Objektīva sistēma		Tirgus pozicionēšana *	Bizness
Tālummaiņas spēja	✓	Produkta krāsa *	Balts
Tālummaiņas attiecība	1:1	Displejs	
Nobīde	108%	Iebūvēta displeja *	×
Video		Energijas pārvaldība	
Analogo signālu komutācijas sistēma *	Netiek atbalstīts	Jaudas avots *	AC
Pilns HD *	✓	Enerģija patēriņš *	295 W
3D saderība *	✓	Maiņstrāvas ievades spriegums	100 - 240 V

Savienojamība		Energijas pārvaldība	
HDMI versija	1.4a	Mainstrāvas ievades frekvence	50/60 Hz
USB 2.0 A tipa pieslēgvietu skaits	1	Ārējās vides apstākļi	
Austiņu izejas	1	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
Seriālā interfeisa tips *	RS-232	Svars&dimensijas	
HDMI pieslēgvietu skaits *	1	Platums	296 mm
		Dziļums	236,8 mm
		Augstums	120 mm
		Svars *	2,3 kg
		Iepakojuma saturs	
		Tālvadības pults *	✓
		Baterijas pievienotas	✓
		Pievienoti kabeli	AC



4718755099199

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.