

Philips 8721103134851 LED лампа Теплый белый 2,3 W E14

Производитель : Philips by Signify

Код товара: 8721103134851

Модель : 8721103134851

Philips 8721103134851. Мощность лампочки: 2,3 W, Эквивалентная мощность лампы: 40 W, Тип цоколя лампы: E14, Световой поток: 485 lm, Срок службы лампы: 50000 h, Цвет света: Теплый белый, Угол луча (макс): 300°, Индекс цветопередачи: 80, Коэффициент мощности: 0,4



Производительность		Вес и размеры	
Форма лампы *	Люстер	Диаметр	4,5 cm
Световой поток *	485 lm	Ширина	45 mm
Срок службы лампы *	50000 h	Глубина	80 mm
Эквивалентная мощность лампы *	40 W	Высота	80 mm
Цвет света *	Теплый белый	Данные об упаковке	
Цветовая температура (мин.)	2700 K	Ширина упаковки	147 mm
Цветовая температура (макс.)	2700 K	Глубина упаковки	99 mm
Тип поверхности	Чистый	Высота упаковки	97 mm
Возможность затемнения	✗	Масса брутто	590 g
Угол луча (макс)	300°	Вес нетто (упаковка)	90 g
Индекс цветопередачи	80	Полный вес упаковки	590 g
Коэффициент мощности	0,4	Прочие свойства	
Количество циклов включения	500000	Поддерживаемое размещение	Для помещений
Световая отдача	210 lm/W	Частота входящего переменного тока	50-60 Hz
Мощность лампочки *	2,3 W	Эффекты	No
Тип цоколя лампы *	E14	Технические характеристики	
Распределение света	Ненаправленный	Технология производства ламп	LED
Единый светодиодный модуль	✓	Тип лампы	LED
Suitable for enclosed fixtures	✗	Совместимые операционные системы	Not applicable
Протокол связи	Not applicable	Материал корпуса	Стекло
Product disposal info	At the end of (economic) life, dispose the product according to local rules and do not dispose the product with regular household waste. The correct disposal of your product will help prevent potential negative consequences for the environment and human health.	Батарейки в комплекте	✗
		Комфорт для глаз	✗
		Номинальный световой поток	485 lm

Производительность		Технические характеристики	
Defined support period (note)	Not applicable	Название товара	LED CLA P45 40W E14 WW CL ND UE 6CT/4EC
Энергопитание		Код ЕОС	872110313485100
Энергопотребление на 1000 часов *	3 кВт·ч	Логистические данные	
Входное напряжение	220-240 V	EAN/UPC/GTIN (упаковка)	8721103134851
Частота входного сигнала	50-60 Hz		



8721103134851

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.