

Whirlpool WH8IC15B4M6LHC0 Полностью встраиваемый 15 мест

Производитель : Whirlpool

Код товара: 869991698530

Модель : WH8IC15B4M6LHC0

Whirlpool WH8IC15B4M6LHC0. Размещение бытового устройства: Полностью встраиваемый, Размер: Полный размер (60 см), Цвет панели управления: Черный. Количество мест: 15 мест, Класс шумовыделения: B, Уровень шума: 44 dB. Класс энергоэффективности: C, Потребление воды за цикл: 9,5 L, Энергопотребление на 100 циклов: 76 кВт·ч. Ширина: 598 mm, Глубина: 555 mm, Высота: 820 mm. Масса брутто: 37,5 kg



Дизайн		Производительность	
Размещение бытового устройства *	Полностью встраиваемый	Половинная загрузка	✓
Размер *	Полный размер (60 см)	Эргономика	
Декоративная панель *	✓	Регулируемые по высоте ножки	✓
Цвет двери *	Неприменимо	Световой индикатор, проецируемый на пол	✓
Цвет панели управления	Черный	Индикатор соли	✓
Тип управления	Кнопки	Индикатор ополаскивателя	✓
Встроенный экран *	✓	Энергопитание	
Длина шнура	1,3 m	Шкала классов энергоэффективности	A - G
Длина входящего шланга	1,55 m	Класс энергоэффективности *	C
Длина выводящего шланга	1,5 m	Потребление воды за цикл *	9,5 L
Регулируемая высота верхней корзины	✓	Энергопотребление на 100 циклов *	76 кВт·ч
Тип отделения для столовых приборов	Корзина и ящик	Подключенная нагрузка	1900 W
Removable cutlery basket	✓	Входящее напряжение сети	220-240 V
Производительность		Частота входящего переменного тока	50 Hz
Уровень шума *	44 dB	Сила тока	10 A
Программы мойки посуды *	Auto-Mixed, Daily 50°C, Delicate 45°C, Eco 50°C, Гигиена, Intensive 65°C, Prewash, Quick 45°C, Self-Clean 65°C, Silent 55°C	Вес и размеры	
Система сушки	Естественная	Глубина	555 mm
Количество мест *	15 мест	Высота	820 mm
Количество программ стирки *	10	Вес	35,5 kg
Класс шумовыделения *	B	Ширина отверстия для установки	60 cm
Температура (макс) *	65 °C	Глубина установочного отверстия	56 cm
Максимальная температура горячего водоснабжения	60 °C	Минимальная высота установки	82 cm
Продолжительность цикла *	210 min	Максимальная высота установки	90 cm
		Ширина *	598 mm

Производительность		Данные об упаковке	
Таймер отложенного старта	✓	Масса брутто	37,5 kg
Программируемое время старта (макс.)	24 h		
Экстрасушка	✓		
Защита от переливания *	✓		



8003437060281

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.