



Beko bPRO 500 BDIN38542P trauku mazgājamā mašīna Pilnībā iebūvēts 15 vietas


Zīmols : Beko

Preču ģimene: bPRO 500

Preces kods: BDIN38542P

Modeļa nosaukums :
BDIN38542P

Beko bPRO 500 BDIN38542P. Ierīces novietojums: Pilnībā iebūvēts, Preces izmērs: Pilna lieluma (60 cm), Durvju krāsa: Balts. Vietu skaits: 15 vietas, Trokšņu emisijas klase: B, Trokšņu līmenis: 41 dB. Energoefektivitātes klase: C, Ūdens patēriņš cikla laikā: 8,9 L, Enerģijas patēriņš 100 ciklos: 76 kWh. Platums: 598 mm, Dziļums: 550 mm, Augstums: 818 mm. Beko tehnoloģijas (trauku mazgāšana): Fast+, Quick & Shine®, SensorAdapt, SilentWash, SteamGloss®, SelfDry, PowerIntense, SelfFit,...



Dizains		Ergonomika	
Ierīces novietojums *	Pilnībā iebūvēts	Automātiska durvju atvēršana	✓
Preces izmērs *	Pilna lieluma (60 cm)	Enerģijas pārvaldība	
Durvju krāsa *	Balts	Energoefektivitātes skala	A līdz G
Vadības paneļa krāsa	Melns	Energoefektivitātes klase *	C
Iebūvēta displeja *	✓	Enerģijas patēriņš ciklā	0,758 kWh
Ekrāna veids	LCD	Ūdens patēriņš cikla laikā *	8,9 L
Regulējams augšējā groza augums	✓	Enerģijas patēriņš 100 ciklos *	76 kWh
Augšējā groza regulējamo līmeņu skaits	3	Mainstrāvas ievades spriegums	220 - 240 V
Nažu un dakšu nodalījuma veids	Atvilktnē	Mainstrāvas ievades frekvence	50 Hz
Izņemams galda piederumu grozs	✓	Energoefektivitātes indekss (EEI)	43,9
Vannas materiāls	Nerūsējošs tērauds	Svars&dimensijas	
Durvju eņģu sistēma	Beko SelfFit	Dziļums	550 mm
Darbības rādītāji		Augstums	818 mm
Trokšņu līmenis *	41 dB	Svars	36,6 kg
Trauku mazgātāja programmas *	AquaFlex, Intensive 70°C, Eko 50 °C, Delicate 40°C, Quick&Shine, Mini, Priekšskalošana	Platums *	598 mm
Žāvēšanas sistēma	Statisks	Zīmolam raksturīgas iezīmes	
Vietu skaits *	15 vietas	Beko tehnoloģijas (trauku mazgāšana)	Fast+, Quick & Shine®, SensorAdapt, SilentWash, SteamGloss®, SelfDry, PowerIntense, SelfFit, WaterSafe+
Mazgāšanas programmu skaits *	8	Informācija par iepakojumu	
Trokšņu emisijas klase *	B	Iepakojuma platums	644 mm
Temperatūra (maks) *	70 °C	Iepakojuma dziļums	661 mm
Cikla laiks *	227 min	Iepakojuma augstums	859 mm
Atliktā starta taimeris	✓	Iepakojuma svars	39,7 kg
Atceltais starts	24 h		

Darbības rādītāji

Fast+ funkcija 



8690842768286

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.