



**THE GERMAN
WORKSPACE
BRAND** 

ICY BOX® Spade Dock 1123

Docking Station for M.2 NVMe,
2.5"/3.5" HDD/SSD with
USB 3.2 Gen 2 Type-C®

Key features

- Read and write function for M.2 NVMe, 2.5"/3.5" HDD/SSD
- Supports 2.5" SATA HDD/SSD and 3.5" SATA HDD
- Supports 3.5" SATA HDD up to 30 TB
- USB 3.2 Gen 2 Type-C® with a transfer rate of up to 10 Gbps
- Supports M.2 NVMe SSD in sizes 22x 30/42/60/80 mm
- LED indicator for power and access
- Supports UASP, HotSwap and Plug & Play



Packing content

1x Spade Dock 1123
1x USB Type-C® to Type-C®/-A cable, 80 cm
1x 12 V/2 A (24 W) power adapter
1x Manual



Data on the move

Less waiting means more time getting things done. And Spade Dock 1123 values your time. With its in this class stunning 10 Gbps you can move media files in no time.

Wait - that's it?

Spade Dock 1123 is self-explanatory: insert your drive, connect the Docking Station with your system and go. No tools, no drivers, no software. Thanks to HotSwap you can change your drives without even turning Spade Dock 1123 off.

Make it a combo

We are not all same. Neither are our systems. Spade Dock 1123 respects that with a USB-C®/USB-A combo cable that gives you maximum flexibility.

THE GERMAN
WORKSPACE
BRAND

ICY BOX® Spade Dock 1123

Docking Station for M.2 NVMe, 2.5"/3.5" HDD/SSD with USB 3.2 Gen 2 Type-C®

General data

Model	IB-1123M-CU31
Article no.	61200
EAN code	4250078175360
Color	Black
Material	ABS
Host interface	USB 3.2 Gen 2 Type-C®
Cable length	80 cm
Transfer rate	Up to 10 Gbps
UASP support	Yes
Plug & Play	Yes
LED	Power and access
ON/OFF button	-
Chipset	JMS581DL

Drive data

Drive size	22x 30/42/60/80 mm, 2.5"/3.5"
Drive height	-
Drive interface	SATA, M.2 NVMe
Drive capacity	Up to 30 TB
Supported M.2 card keys	M-Key
Space required	-
Clone function	-
HotSwap	Yes
Write protection	-

RAID data

RAID level	-
Auto rebuilding	-
Alarm	-

Additional features

Additional interfaces	-
Display	-
Control buttons	-
Lock	-
Kensington Lock	-
Degree of protection	-
Cooling	Passiv
Fan volume	-

Power

Power supply	12 V/2 A
Plug dimension	DC plug: Ø5.5 x Ø2.1 x L10 mm, DC cable 120 cm

Host system

Relative humidity	-
Operating temperature	-
Operating system	Windows®, macOS®, Linux®
System requirements	Computer with USB 3.2 Gen 2 Type-C® port

Logistical data

Packing unit	20 pcs. / carton
Total weight	11.56 kg
Gross weight (with packing)	0.530 kg
Net weight	0.375 kg
Dimension / carton	510x360x295 mm
Dimension (with packing)	230x130x65 mm
Dimension of article	245x130x57 mm
Country of origin	China



THE GERMAN
WORKSPACE
BRAND 

Best combined with



IB-RD3720-CU3

RAID-System dual bay, HDD/SSD USB 3.2 Gen 2 with fan

[About the product](#)

IB-2924MSCL-C31

CloneStation M.2 NVMe and SATA to M.2 NVMe triple bay

[About the product](#)

