

Candy CNCQ2T518DX Brīvi novietots 279 L Nerūsējošs tērauds

Zīmols : Candy
Preces kods: 34005887
Modeļa nosaukums : CNCQ2T518DX

Candy CNCQ2T518DX. Totālā neto ietilpība: 279 L. Durvju enģes: Labā puse. Klimata klase: SN-T, Trokšņu līmenis: 35 dB. Ledusskapja neto ietilpība: 197 L, Neaizsalstošs (ledusskapis), Ledusskapja iekšējais apgaismojums, Ledusskapja plauktu skaits: 4. Saldētavas neto ietilpība: 82 L, Saldēšanas jauda: 5 kg/24h, Neiaizsalstoša (saldētava). Svaigo produktu nodalījums. Energoefektivitātes klase: D, Gada enerģijas patēriņš: 194 kWh. Produkta krāsa: Nerūsējošs tērauds



Dizains		Saldētava	
Ierīces novietojums *	Brīvi novietots	Saldētavas novietojums *	Apakšā-novietoti
Produkta krāsa *	Nerūsējošs tērauds	Saldētavas neto ietilpība *	82 L
Gatavība paneļa pielāgošanai	✗	Saldēšanas jauda *	5 kg/24h
Durvju enģes	Labā puse	Uzglabāšanas laiks strāvas zuduma laikā *	11 h
Reversīvas durvis	✓	Novērtējums *	4*
Iebūvēta displeja *	✓	Neiaizsalstoša (saldētava) *	✓
Displeja novietojums	Iekšpusē	Automātiskais atkausēšanas režīms (saldētava)	✓
Plauktu materiāls	Stikls	Saldētavas atvilktnu skaits	3
Darbības rādītāji		Ātrās saldēšanas funkcija *	✗
Totālā neto ietilpība *	279 L	Svaigo produktu nodalījums	
Klimata klase *	SN-T	Svaigo produktu nodalījums *	✓
Minimālā darba temperatūra	10 °C	Enerģijas pārvaldība	
Maksimālā darbības temperatūra	43 °C	Energoefektivitātes skala	A līdz G
Trokšņu emisijas klase *	B	Energoefektivitātes klase *	D
Trokšņu līmenis *	35 dB	Gada enerģijas patēriņš *	194 kWh
Ledus pagatavotājs *	✗	Mainstrāvas ievades spriegums	220-240 V
Brīvdienu funkcija	✗	Mainstrāvas ievades frekvence	50 Hz
Ledusskapis		Strāva	1,3 A
Ledusskapja neto ietilpība *	197 L	Svars&dimensijas	
Ledusskapja iekšējais apgaismojums	✓	Platums *	545 mm
Neaizsalstošs (ledusskapis) *	✓	Dziļums *	602 mm
Automātiskais atkausēšanas režīms (ledusskapis)	✓	Augstums *	1825 mm
Daudz plūsmu (Multi-Airflow) sistēma (ledusskapis) *	✗	Svars *	55 kg
Ledusskapja plauktu skaits *	4	Informācija par iepakojumu	
Dārzeni atvilktnu skaits *	1	Iepakojuma platums	584 mm

Ledusskapis		Informācija par iepakojumu	
Ledusskapja durvju plaukti	3	lepakoĵuma dziļums	652 mm
Super auksts funkcija *	×	lepakoĵuma augstums	1897 mm
Smart Cool funkcija	×	lepakoĵuma svārs	62 kg



8059019103730

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.