



Canon Wide-Angle RF 24 mm F1.8 Macro IS STM Camera Lenses, Black

Brand : Canon

Product code: 5668C005

Product name : Wide-Angle RF 24 mm F1.8 Macro IS STM Camera Lenses, Black



- A dedicated prime lens for landscape enthusiasts looking for less distortion and higher quality images
- A 9-blade circular aperture allows you to shoot in low light
- Offers 5-stops of protection against blur from camera shake
- Smooth and quiet focusing with speed and accuracy; perfect for stills as well as video
- Ideal for travel where space in a bag is limited

Wide-Angle RF 24 mm F1.8 Macro IS STM Camera Lenses, Black

Canon Wide-Angle RF 24 mm F1.8 Macro IS STM Camera Lenses, Black. Component for: MILC, Lens structure (elements/groups): 11/9, Lens type: Wide zoom lens. Camera brands compatibility: Canon, AF actuator: STM, Lens colour: Black. Product colour: Black, Mounting type: Bayonet. Country of origin: Japan, Products per master (outer) case: 6 pc(s), Master (outer) case gross weight: 3.34 kg. Diameter: 7.44 cm, Filter size: 52 mm, Length: 63.1 mm



Lens system		Design	
Component for *	MILC	Product colour	Black
Lens type *	Wide zoom lens	Mounting type	Bayonet
Lens structure (elements/groups) *	11/9	Dustproof	✗
Lens viewing angle, horizontal	74°	Weatherproof	✗
Focus adjustment	Auto/Manual	Logistics data	
Lens viewing angle, vertical	53°	Country of origin	Japan
Fixed focal length	24 mm	Products per master (outer) case	6 pc(s)
Lens viewing angle, diagonal	84°	Master (outer) case gross weight	3.34 kg
Focal length range	24 - 24 mm	Master (outer) case length	386 mm
Minimum aperture number *	22	Master (outer) case width	263 mm
Number of diaphragm blades	9	Master (outer) case height	237 mm
Closest focusing distance *	0.14 m	Products per pallet	180 pc(s)
Maximum aperture number *	1.8	Pallet gross length	120 cm
Macro ratio	1:2	Pallet gross width	80 cm
Number of aspheric elements	1	Pallet gross height	131.5 cm
Zoom capability *	✓	Quantity per pack	1 pc(s)
Image sensor format	Full frame	Pallet gross weight	118.8 kg
Lens mount interface *	Canon RF	Layers per pallet	5 pc(s)
Teleconverter/Extender compatible	✗	Master (outer) cases per pallet layer	6 pc(s)
Control ring	✓	Products per pallet layer	36 pc(s)
Image stabilizer	✓	Weight & dimensions	
Image stabilizer type	Optical Image Stabilization (OIS)	Length	63.1 mm
Image stabilizer number of stops (OIS)	5	Weight	270 g
Image stabilizer number of stops (IBIS x OIS)	6.5	Diameter *	7.44 cm
		Filter size *	52 mm
Performance		Packaging data	
Auto focus	✓	Package width	150 mm
Manual focus	✓	Package depth	150 mm

Performance		Packaging data	
AF actuator	STM	Package height	150 mm
Lens colour	Black	Package weight	350 g
Camera brands compatibility *	Canon	Package volume	2723 cm³
Circular aperture	✓	Packaging content	
Lens coating features	Super Spectra Coating (SSC)	Lens cap included	✓
Number of Ultra-low Dispersion (UD) elements	1	Lens cap model	E-52 II
Lens hood	✓	Rear lens cap included	✓
Lens hood model	EW-65B	Rear lens cap model	RF
		User guide	✓



4549292207309

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.