

ASUS TUF GAMING B550M PLUS AMD B550 Разъем AM4 Микро ATX

Производитель : ASUS

Код товара: 90MB14A0-M0EAY0

Модель : TUF GAMING B550M PLUS

ASUS TUF GAMING B550M PLUS. Производитель процессора: AMD, Сокет процессора: Разъем AM4, Совместимые серии процессоров: AMD Ryzen 3000 Series. Поддерживаемые типы памяти: DDR4-SDRAM, Максимальная внутренняя память: 128 GB, Тип слотов памяти: DIMM. Поддерживаемые интерфейсы носителя: M.2, SATA. Поддержка технологии параллельной обработки: 2-Way CrossFireX. Тип Ethernet интерфейса: 2.5 Gigabit Ethernet



Процессор		Порты на задней панели	
Производитель процессора *	AMD	Количество портов Ethernet LAN (RJ-45) *	1
Сокет процессора *	Разъем AM4	Количество портов PS/2	1
Совместимые серии процессоров *	AMD Ryzen 3000 Series	Количество HDMI портов *	1
Память		Количество портов DisplayPort	1
Поддерживаемые типы памяти *	DDR4-SDRAM	Линейные выходы наушников	5
Количество слотов памяти *	4	Порт выхода S/PDIF	✓
Тип слотов памяти	DIMM	Сеть	
Поддерживаемые частоты памяти МГц	2133,2400,2666,2800,3000,3200,3333,3466,3600,3733,3866,4000,4133,4266,4400,4600	Подключение Ethernet	✓
Максимальная внутренняя память *	128 GB	Тип Ethernet интерфейса	2.5 Gigabit Ethernet
Контроллеры хранения данных		Wi-Fi *	✗
Поддерживаемые интерфейсы носителя *	M.2, SATA	Основной стандарт Wi-Fi	Отсутствует
Количество поддерживаемых дисков памяти	6	Свойства	
Поддержка RAID	✓	Чипсет материнской платы *	AMD B550
Графический адаптер		Комплектующие для *	ПК
Поддержка технологии параллельной обработки *	2-Way CrossFireX	Формат материнской платы *	Микро ATX
Внутренние порты		Семейство чипсета материнской платы *	AMD
Разъемы USB 2.0 *	2	Слоты расширения	
Разъемы USB 3.2 Gen 1 (3.1 Gen 1) *	1	Слоты PCI Express x16 (Gen 4.x)	1
Число коннекторов SATA	4	Количество M.2 (M) слотов	2
Порты на задней панели		BIOS	
Количество портов USB 2.0 *	2	Тип BIOS *	UEFI
Количество портов USB 3.2 Gen 1 (3.1 Gen 1) Type-A *	4		

Порты на задней панели		Логистические данные	
Количество портов USB 3.2 Gen 2 (3.1 Gen 2) Type-C [*]		2	
		Код гармонизированной системы описания (HS)	84733020
Вес и размеры			
		Ширина	244 mm
		Глубина	244 mm
		Высота	67 mm
Прочие свойства			
		Вес	845 g



4718017623544



0192876623541



192876623541

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.