

Samsung QE98C Digital signage flat panel 2.49 m (98") LCD Wi-Fi 450 cd/m² 4K Ultra HD Black Tizen 6.5 16/7

Brand : Samsung

Product code: LH98QECEDGCXEN

Product name : QE98C



Samsung QE98C. Product design: Digital signage flat panel. Display diagonal: 2.49 m (98"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 450 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 16/7. Operating system installed: Tizen 6.5. Product colour: Black

Display		Design	
Panel type	VA	Product colour *	Black
LED backlight	✓	VESA mounting *	✓
LED backlighting type	Edge-LED	Panel mounting interface	600 x 400 mm
Display diagonal *	2.49 m (98")	Performance	
Display technology *	LCD	Purpose *	Universal
Display resolution *	3840 x 2160 pixels	Operating hours (hours/days)	16/7
Display brightness *	450 cd/m ²	Power	
HD type *	4K Ultra HD	Power consumption (typical) *	275 W
Touchscreen *	✗	Power consumption (standby) *	0.5 W
Native aspect ratio	16:9	AC input voltage	100 - 240 V
Response time	8 ms	AC input frequency	50/60 Hz
Contrast ratio (typical)	5000:1	Computer system	
Viewing angle, horizontal	178°	Operating system installed	Tizen 6.5
Viewing angle, vertical	178°	Weight & dimensions	
Display number of colours	16.7 million colours	Display width	2180.6 mm
Pixel pitch	0.562 x 0.562 mm	Display depth	48.4 mm
Active display area (W x H)	1214.35 x 2158.85 mm	Display height	1243.9 mm
Display diagonal (metric)	247.65 cm	Display weight	65.8 kg
Colour saturation	93%	Packaging data	
Ports & interfaces		Package width	2379 mm
HDMI ports quantity *	4	Package depth	350 mm
HDMI version	2.0	Package height	1431 mm
DVI port *	✗	Package weight	87.8 kg
USB port *	✓	Operational conditions	
USB ports quantity	2	Operating temperature (T-T)	0 - 40 °C
USB version	2.0	Operating relative humidity (H-H)	10 - 80%
RS-232 interface	✓	Network	
Audio		Ethernet LAN *	✓
Built-in speaker(s) *	✓	Wi-Fi *	✓
RMS rated power	40 W	Wi-Fi standards	Wi-Fi 5 (802.11ac)
Audio output channels	2.2 channels	Design	
Product design *	Digital signage flat panel		

Other features	
RS-232 input ports	1
RJ-45 input ports	1



8806095751160



8592978612740

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.