

GIGABYTE AORUS GeForce RTX 5090 MASTER ICE 32G NVIDIA 32 GB GDDR7

Производитель : GIGABYTE
Код товара: GV-N5090AORUSM ICE-32GD
Модель : AORUS GeForce RTX 5090 MASTER ICE 32G

GIGABYTE AORUS GeForce RTX 5090 MASTER ICE 32G. Семейство графических процессоров: NVIDIA, Графический процессор: GeForce RTX 5090, Тактовая частота процессора: 2655 МГц. Объем памяти дискретного графического адаптера: 32 GB, Тип памяти графического адаптера: GDDR7, Шина памяти: 512 бит, Тактовая частота памяти: 28000 МГц. Максимальное разрешение: 7680 x 4320 пикселей. Версия DirectX: 12.0, Версия OpenGL: 4.6. Тип интерфейса: PCI Express x16 5.0. Тип охлаждения: Активный, Количество вентиляторов: 3 вентилятор(ы)




Процессор		Производительность	
CUDA *	✓	Dual Link DVI *	✗
Ядра CUDA	21760	NVIDIA G-SYNC	✓
Семейство графических процессоров *	NVIDIA	Гарантийный срок	3 лет
Графический процессор *	GeForce RTX 5090	Дизайн	
Тактовая частота процессора *	2655 МГц	Тип охлаждения *	Активный
Максимальное разрешение *	7680 x 4320 пикселей	Технология охлаждения	GIGABYTE WINDFORCE 3X
Поддержка технологии параллельной обработки *	Не поддерживается	Количество вентиляторов	3 вентилятор(ы)
Максимальное количество дисплеев на видеокарту	4	Формат	Full-Height/Full-Length (FH/FL)
Память		Число слотов	3,7
Объём памяти дискретного графического адаптера *	32 GB	Цвет товара	Белый
Тип памяти графического адаптера *	GDDR7	Энергопитание	
Шина памяти *	512 бит	Минимальное электропитание системы *	1000 W
Тактовая частота памяти	28000 МГц	Дополнительные силовые разъемы	1x 16-pin
Скорость передачи данных	28 Gbit/s	Вес и размеры	
Порты и интерфейсы		Вес	2 kg
Тип интерфейса *	PCI Express x16 5.0	Длина	360 mm
Количество HDMI портов *	1	Глубина	75 mm
Версия HDMI	2.1b	Высота	150 mm
Количество портов DisplayPort *	3	Данные об упаковке	
Версия DisplayPort	2.1a	Ширина упаковки	245 mm
Производительность		Глубина упаковки	453 mm
Встроенный TV-тюнер *	✗	Высота упаковки	160 mm
Версия DirectX *	12.0	Масса брутто	3 kg
Версия OpenGL *	4.6		

Производительность		Содержимое упаковки	
Поддерживает виртуальную реальность	✓	Краткое руководство по установке	✓
		Поставляемые кабели	Напряжение
Логистические данные			
Количество в транспортировочной упаковке		1 шт	



4719331355906



0889523048597



889523048597

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.