

## TP-Link Omada EAP660 HD WLAN piekļuves punkts 2402 Mbit/s Balts Power over Ethernet (PoE)

**Zīmols :** TP-Link

**Preču ģimene:** Omada

**Preces kods:** EAP660 HD

**Modeļa nosaukums :** EAP660  
HD

TP-Link Omada EAP660 HD. 2.4 GHz, 5 GHz, Maksimālais datu pārraides ātrums: 2402 Mbit/s. Drošības algoritma atbalsts: WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3-Enterprise, WPA3-PSK. Ethernet LAN datu pārsūtīšanas ātrums: 25000 Mbit/s. Power over Ethernet (PoE). Produkta krāsa: Balts



| Īpašības                                    |                                                                                      | Vadības īpašības                           |           |
|---------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------|-----------|
| 2.4 GHz *                                   | ✓                                                                                    | Tīkla bāzēts menedžments                   | ✓         |
| 5 GHz *                                     | ✓                                                                                    | Syslog                                     | ✓         |
| 6 GHz *                                     | ✗                                                                                    | <b>Savienojamība</b>                       |           |
| Maksimālais datu pārraides ātrums *         | 2402 Mbit/s                                                                          | Ethernet LAN (RJ-45) pieslēgvietu skaits * | 1         |
| Maksimālais datu pārraides ātrums (2,4 GHz) | 1148 Mbit/s                                                                          | DC ieejas ligzda                           | ✓         |
| Maksimālais datu pārraides ātrums (5 GHz)   | 2402 Mbit/s                                                                          | <b>Enerģijas pārvaldība</b>                |           |
| Ethernet LAN datu pārsūtīšanas ātrums       | 25000 Mbit/s                                                                         | Power over Ethernet (PoE) *                | ✓         |
| Frekvences josla                            | 2.4 - 5 GHz                                                                          | Izejas spriegums                           | 12 V      |
| Tīkla standarts                             | IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n | Izejas strāva                              | 2 A       |
| Automātiska kanāla atlase                   | ✓                                                                                    | <b>Dizains</b>                             |           |
| Automātiskā kanālu skenēšana                | ✓                                                                                    | Izvietošana *                              | Griesti   |
| MIMO                                        | ✓                                                                                    | Produkta krāsa *                           | Balts     |
| MIMO veids                                  | Multi User MIMO                                                                      | <b>Antena</b>                              |           |
| Wi-Fi multimediji (WMM)/(WME)               | ✓                                                                                    | Antenas tips *                             | Iekšējs   |
| Wi-Fi viesabonēšana                         | ✓                                                                                    | <b>Svars&amp;dimensijas</b>                |           |
| Atbalsta VLAN                               | ✓                                                                                    | Platums                                    | 243 mm    |
| Ātruma limitēšana                           | ✓                                                                                    | Dziļums                                    | 243 mm    |
| Bezvadu izolācija                           | ✓                                                                                    | Augstums                                   | 64 mm     |
| Airtime Fairness (ATF)                      | ✓                                                                                    | <b>Iepakojuma saturs</b>                   |           |
| Quality of Service (QoS) atbalsts           | ✓                                                                                    | Montāžas komplekts                         | ✓         |
|                                             |                                                                                      | <b>Ārējās vides apstākļi</b>               |           |
|                                             |                                                                                      | Darbības relatīvā mitruma amplitūda        | 10 - 90%  |
|                                             |                                                                                      | Darbības temperatūras amplitūda (T-T)      | 0 - 40 °C |

| Drošība                                                          |                                                                               | Ārējās vides apstākļi                     |             |
|------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------|-------------|
| Drošības algoritma atbalstīts *                                  | WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3-Enterprise, WPA3-PSK | Uzglabāšanas temperatūras amplitūda (T-T) | -40 - 70 °C |
| MAC adreses filtrēšana                                           | ✓                                                                             | Uzglabāšanas relatīvā mitruma amplitūda   | 5 - 90%     |
| Service Set Identifier (SSID) funkcijas                          | Multiple SSIDs                                                                | Logistiskie dati                          |             |
| Attālās autentifikācijas iezvanes lietotāja pakalpojums (RADIUS) | ✓                                                                             | Harmonizētās sistēmas (HS) kods           | 85176990    |



6935364089719




6935364053451



0845973089719



845973089719



9353640897198




4895252506167



0840030711664



840030711664



4895252506174

**Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.