



HP Series 3 Pro 23.8 inch FHD Monitor - 324ph computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black

Brand : HP

Product family: Series 3 Pro

Product code: B0BU9UT#ABB

Product name : 23.8 inch FHD
Monitor - 324ph



HP Series 3 Pro 23.8 inch FHD Monitor - 324ph. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Display surface: Matt, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black

Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	HDCP	✓
Display resolution *	1920 x 1080 pixels	Ergonomics	
HD type *	Full HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LCD	Cable lock slot *	✓
Panel type *	IPS	Height adjustment *	✓
LED backlight	✓	Adjustable height (max)	10 cm
Backlight type	Edge LED	Tilt adjustment	✓
Touchscreen *	✗	Tilt angle range	-5 - 23°
Display brightness (typical)	250 cd/m²	On Screen Display (OSD)	✓
Display brightness	250 cd/m²	Power	
Response time *	5 ms	Energy efficiency class (SDR) *	D
Response time measurement type	GTG (Gray to Gray)	Energy efficiency class (HDR) *	D
Display surface	Matt	Energy consumption (SDR) per 1000 hours *	14 kWh
Anti-glare screen	✓	Power consumption (typical) *	23 W
Screen shape *	Flat	Power consumption (standby) *	0.5 W
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800, 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA)	Power consumption (max)	35 W
		Power consumption (off)	0.3 W
Aspect ratio	16:9	AC input voltage	100 - 240 V
Contrast ratio (typical) *	1000:1	AC input frequency	50/60 Hz
Contrast ratio (dynamic)	8000000:1	Power supply type	Internal
Maximum refresh rate *	100 Hz	Energy efficiency scale	A to G
Viewing angle, horizontal	178°	Operational conditions	
Viewing angle, vertical	178°	Operating temperature (T-T)	5 - 35 °C
Display number of colours *	16.7 million colours	Storage temperature (T-T)	-40 - 65 °C
Pixel pitch	0.2745 x 0.2745 mm	Operating relative humidity (H-H)	5 - 95%
Pixel density	93 ppi	Storage relative humidity (H-H)	20 - 80%
Horizontal scan range	30 - 115 kHz	Operating altitude	0 - 5000 m
Vertical scan range	48 - 100 Hz	Non-operating altitude	0 - 12192 m

Display		Operational conditions	
Viewable size, horizontal	52.7 cm	Non-operating relative humidity (non-condensing)	20 - 80%
Viewable size, vertical	29.6 cm	Weight & dimensions	
Viewable size diagonal	6.04 cm		
Display diagonal (metric)	60.5 cm		
Haze rate	25%		
Surface hardness	3H		
Colour depth	8 bit		
Colour gamut standard	NTSC		
Colour gamut	72%		
NTSC coverage (typical)	72%		
Performance		Weight (without stand)	
NVIDIA G-SYNC *	✗	4.71 kg	
AMD FreeSync *	✗	Packaging data	
Flicker-free technology	✓	Package width	595 mm
Low Blue Light technology	✓	Package depth	124 mm
HP segment	Business	Package height	391 mm
Multimedia		Package weight	6.74 kg
Number of speakers	2	Package type	Box
RMS rated power	4 W	Warranty card	✓
Built-in speaker(s) *	✓	Packaging content	
Built-in camera *	✗	Cables included	HDMI, DisplayPort, AC
Design		Quick start guide	✓
Market positioning *	Business	Sustainability	
Product colour *	Black	Sustainability compliance	✓
Colour name	Black	Sustainability certificates	ENERGY STAR, EPEAT, TCO, EPEAT Climate +, TCO10
Detachable stand	✓	Sustainable technologies and materials	At least 85% post-consumer recycled plastic; At least 5% recycled metal; Contains 20% recycled glass in the monitor panel; Molded paper pulp cushion inside box is made of 100% recycled or certified sources; Low halogen
Feet colour	Black		
Ports & interfaces			
Built-in USB hub *	✗	Other features	
VGA (D-Sub) ports quantity	1	Country of origin	China, Thailand
HDMI *	✓	UNSPSC-code	43211902
HDMI ports quantity	1	Packaging content	Monitor; HDMI cable; Warranty card; Quick Setup Poster; AC power cord
HDMI version	1.4	Weight	3.4 kg
DisplayPorts quantity	1	Compliance certificates	CCC, CB, EAC, BIS, Federal Communications Commission (FCC), CE, BSMI
DisplayPort version	1.2		
Headphone out *	✗		



0198828035561



198828035561

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.