



iiyama ProLite XB2792HSU-B1 A computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Black

Brand : iiyama

Product family: ProLite

Product code: XB2792HSU-B1
A

Product name : XB2792HSU-B1 A

27" IPS Full HD panel with 4-side slim bezel, B energy class and height adjustable stand

iiyama ProLite XB2792HSU-B1 A computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Black:

The ProLite XB2792HSU is a 27" Full HD monitor for anyone who values both high performance and a more sustainable choice. Packaged without plastic and made from 85% post-consumer recycled materials, it meets TCO Edge Certification and EPEAT Silver standards. Its IPS panel delivers sharp detail, vibrant colours and wide viewing angles, while the 4-side slim bezel design creates a sleek, distraction-free workspace. To take care of your eye health, it complies with the Eye Safe and Eye Comfort Certifications and the 150mm height-adjustable ergonomic stand ensures all-day comfort.



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Cable management	✓
Display resolution *	1920 x 1080 pixels	Cable lock slot *	✓
HD type *	Full HD	Cable lock slot type	Kensington
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	LED	Adjustable height (max)	15 cm
Panel type *	IPS	Pivot	✓
Touchscreen *	✗	Pivot angle	0 - 90°
Display brightness (typical)	300 cd/m²	Swivelling	✓
Response time *	3 ms	Swivel angle range	-45 - 45°
Response time measurement type	GTG (Gray to Gray)	Tilt adjustment	✓
Display surface	Matt	Tilt angle range	-5 - 23°
Screen shape *	Flat	On Screen Display (OSD)	✓
Contrast ratio (typical) *	1500:1	On Screen Display (OSD) languages	Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Russian, Ukrainian
Contrast ratio (dynamic)	80000000:1		
Maximum refresh rate *	120 Hz		
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°		
Display number of colours *	16.7 million colours	Energy efficiency class (SDR) *	B
Pixel pitch	0.311 x 0.311 mm	Energy efficiency class (HDR) *	Not available
Horizontal scan range	30 - 140 kHz	Energy consumption (SDR) per 1000 hours *	11 kWh
Viewable size, horizontal	59.8 cm	Power consumption (typical) *	11.4 W
Viewable size, vertical	33.6 cm	Power consumption (standby) *	0.5 W
Display diagonal (metric)	68.6 cm	Power consumption (off)	0.3 W
DDC/CI	✓	AC input voltage	100 - 240 V
Colour gamut standard	NTSC, sRGB	AC input frequency	50/60 Hz
sRGB coverage (typical)	96%	Power supply type	Internal
NTSC coverage (typical)	72%	Energy efficiency scale	A to G

Performance		Weight & dimensions	
NVIDIA G-SYNC *	✗	Width (with stand)	616.5 mm
AMD FreeSync *	✓	Depth (with stand)	209.5 mm
VESA Adaptive Sync support	✓	Height (with stand)	546 mm
Flicker-free technology	✓	Weight (with stand)	5.4 kg
Low Blue Light technology	✓	Height (without stand)	403.5 mm
Multimedia		Packaging data	
Number of speakers	2	Package width	707 mm
RMS rated power	4 W	Package depth	124 mm
Built-in speaker(s) *	✓	Package height	483 mm
Built-in camera *	✗	Package weight	8 kg
		USB cable length	1.5 m
Design		Packaging content	
Product colour *	Black	Cables included	AC, USB, HDMI
Ports & interfaces		HDMI cable length	1.5 m
Built-in USB hub *	✓	Power cable length	1.5 m
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability	
Number of downstream ports	2	Sustainability certificates	ErP, TCO
HDMI *	✓	Other features	
HDMI ports quantity	1	User controls	picture adjust (brightness, contrast, ECO, ACR, OD, Adaptive Sync, X-Res Technology, DPS), colour settings (6-axis, i-Style colour, blue light reducer, gamma, RGB range, colour temp.), OSD settings (OSD H. position, OSD V. position, OSD time, OSD rotate, OSD background, DDC/CI, display information), miscellaneous (sharpness, video mode adjust, opening logo, power LED, USB charge, audio settings (volume, mute), recall (recall all)
HDMI version	1.4		
DisplayPorts quantity	1		
DisplayPort version	1.2		
Headphone out *	✓		
HDCP	✓	Packaging content	quick start guide, safety guide
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
		Weight	5.4 kg
		Width	616.5 mm
		Depth	209.5 mm
		Control panel	Joystick: Center: Power/Menu, Up/Input Select, Down, Left/i-Style colour/Eco/Blue Light Reducer, Right/Volume/Mute Audio
		Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
Technical details			
		Native refresh rate	60 Hz



4948570126194

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.