

ZYXEL

Zyxel NWA55BE 5100 Mbit/s Balts Power over Ethernet (PoE)

Zīmols : Zyxel

Preces kods: NWA55BE-EU0102F

Modeļa nosaukums : NWA55BE

Zyxel NWA55BE. 2.4 GHz, 5 GHz, Maksimālais datu pārraides ātrums: 5100 Mbit/s. Drošības algoritma atbalstīts: WEP, WPA, WPA2, WPA3, 802.1x RADIUS. Power over Ethernet (PoE). Produkta krāsa: Balts



| Īpašības                                    |                                                                                                                                 | Dizains                            |                                                                                                                                                                                                                                                                                         |
|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2.4 GHz *                                   | ✓                                                                                                                               | Izvietošana *                      | Siena                                                                                                                                                                                                                                                                                   |
| 5 GHz *                                     | ✓                                                                                                                               | Produkta krāsa *                   | Balts                                                                                                                                                                                                                                                                                   |
| Maksimālais datu pārraides ātrums *         | 5100 Mbit/s                                                                                                                     | International Protection (IP) code | IP55                                                                                                                                                                                                                                                                                    |
| Maksimālais datu pārraides ātrums (2,4 GHz) | 688 Mbit/s                                                                                                                      | Antena                             |                                                                                                                                                                                                                                                                                         |
| Maksimālais datu pārraides ātrums (5 GHz)   | 4324 Mbit/s                                                                                                                     | Antenas tips *                     | Ārējs                                                                                                                                                                                                                                                                                   |
| Joslas platums                              | 0,24 GHz                                                                                                                        | Antenas īpašības                   | Noņemama antena                                                                                                                                                                                                                                                                         |
| Tīkla standarts                             | IEEE 802.11be, IEEE 802.11ax, IEEE 802.11ac, IEEE 802.11n, IEEE 802.11g, IEEE 802.11b, IEEE 802.11a, IEEE 802.3at, IEEE 802.3bt | Antenu daudzums                    | 2                                                                                                                                                                                                                                                                                       |
| Wi-Fi multimediji (WMM)/(WME)               | ✓                                                                                                                               | Antenas sasniegšanas līmenis (max) | 3 dBi                                                                                                                                                                                                                                                                                   |
| Ātrā viesabonēšana                          | ✓                                                                                                                               | Darbības rādītāji                  |                                                                                                                                                                                                                                                                                         |
| Atbalsta VLAN                               | ✓                                                                                                                               | Iebūvētais procesors               | ✓                                                                                                                                                                                                                                                                                       |
| Bezvadu izolācija                           | ✓                                                                                                                               | Sertifikāti                        |                                                                                                                                                                                                                                                                                         |
| Joslas virzīšana                            | ✓                                                                                                                               | Atbilstības sertifikāti            | Federālā komunikāciju komisija                                                                                                                                                                                                                                                          |
| Cellular Coexistence Filter (CCF) filtrs    | ✓                                                                                                                               | Sertifikācija                      | FCC Part 15C, FCC Part 15E, FCC Part 2.1091, ETSI EN 300 328, EN 301 893, Draft EN 303 687, EN 50385, EN 50665, EN IEC 62311, LP0002, FCC Part 15B, EN 301 489-1, EN 301 489-17, EN55032, EN55035, EN61000-3-2/-3, EN60601-1-2, BSMI CNS15936, EN 62368-1, IEC 62368-1, BSMI CNS15598-1 |
| Raidīšanas jauda                            | 26 decibeli uz milivatu                                                                                                         | Svars&dimensijas                   |                                                                                                                                                                                                                                                                                         |
| Vidējais laiks starp kļūmēm (MTBF)          | 631165 h                                                                                                                        | Platums                            | 308 mm                                                                                                                                                                                                                                                                                  |
| Drošība                                     |                                                                                                                                 | Dziļums                            | 136,4 mm                                                                                                                                                                                                                                                                                |
| Drošības algoritma atbalstīts *             | WEP, WPA, WPA2, WPA3, 802.1x RADIUS                                                                                             | Augstums                           | 49,6 mm                                                                                                                                                                                                                                                                                 |
| MAC adreses filtrēšana                      | ✓                                                                                                                               |                                    |                                                                                                                                                                                                                                                                                         |

| Drošība                                    |  |      | Svars&dimensijas                          |  |             |
|--------------------------------------------|--|------|-------------------------------------------|--|-------------|
| Automātiska bezvadu sadales sistēma (WDS)  |  | ✓    | Svars                                     |  | 575,6 g     |
| Vadības īpašības                           |  |      | Informācija par iepakojumu                |  |             |
| Komandrindas interfeiss (CLI)              |  | ✓    | Iepakojuma platums                        |  | 221 mm      |
| Pārvaldība no mākoņpakalpojuma             |  | ✓    | Iepakojuma dziļums                        |  | 188 mm      |
| Programmaparatūra atjauninājama            |  | ✓    | Iepakojuma augstums                       |  | 59 mm       |
| Savienojamība                              |  |      | Iepakojuma svars                          |  | 984,5 g     |
| Ethernet LAN (RJ-45) pieslēgvietu skaits * |  | 1    | Ārējās vides apstākļi                     |  |             |
| Energijas pārvaldība                       |  |      | Darbības relatīvā mitruma amplitūda       |  | 10 - 90%    |
|                                            |  |      | Darbības temperatūras amplitūda (T-T)     |  | -25 - 65 °C |
|                                            |  |      | Uzglabāšanas temperatūras amplitūda (T-T) |  | -40 - 70 °C |
|                                            |  |      | Uzglabāšanas relatīvā mitruma amplitūda   |  | 10 - 90%    |
| Power over Ethernet (PoE) *                |  | ✓    |                                           |  |             |
| Energija patēriņš                          |  | 24 W |                                           |  |             |



4718937650385

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.