

GIGABYTE GB-AC500G computer case Midi Tower Black

Brand : GIGABYTE

Product code: GB-AC500G

Product name : GB-AC500G

- Optimized Airflow design
- Support Motherboards up to E-ATX
- Up to 420mm Liquid Cooling Compatible
- Support Vertical GPU Installation
- Modular Easy Installation
- Full-Size Tempered Glass Side Panel
- With USB 3.0 x2 and USB 3.1 Gen2 Type-C x1 on I/O panel
- RGB Fusion 2.0
- Pre-installed 4 fans with ARGB & PWM Connector Hub

Mid Tower, Mini ITX / Micro ATX / ATX / E-ATX, USB 3.1 Gen2 Type-C x1 / USB 3.0 x2 / Audio In & Out, Black

GIGABYTE GB-AC500G. Form factor: Midi Tower, Type: PC, Product colour: Black. Power supply location: Bottom, Supported power supply form factors: ATX. Front fans installed: 3x 120 mm, Front fans diameters supported: 120,140 mm, Rear fans installed: 1x 120 mm. Supported HDD sizes: 2.5,3.5". Width: 250 mm, Depth: 482 mm, Height: 548 mm



Design		Ports & interfaces	
Material	Glass, Plastic, Steel	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1
Form factor *	Midi Tower	Cooling	
Type *	PC	Front fans installed	3x 120 mm
Product colour *	Black	Number of front fans supported (max)	3
Supported motherboard form factors *	ATX, EATX, micro ATX, Mini-ITX	Front fans diameters supported	120,140 mm
Number of 3.5" bays *	2	Rear fans installed	1x 120 mm
Number of 2.5" bays	2	Number of rear fans supported (max)	1
Number of expansion slots	11	Rear fans diameters supported	120,140 mm
Side window	✓	Number of top fans supported (max)	3
Suitable for	Gaming	Top fans diameters supported	120,140 mm
Illumination	✓	Front radiator sizes supported	420 mm
Illumination colour	Blue, Green, Red	Rear radiator sizes supported	140 mm
Illumination location	PSU fan	Top radiator sizes supported	360 mm
Tempered glass panel(s)	✓	Storage	
Anti-dust filter	✓	Supported HDD sizes *	2.5,3.5"
Cable management	✓	Weight & dimensions	
Reset button	✓	Width	250 mm
On/off button	✓	Depth	482 mm
LED indicators	✓	Height	548 mm
Power supply		Weight	13.4 kg
Power supply included *	✗	Packaging data	
Power supply location	Bottom	Package width	336 mm
Supported power supply form factors	ATX	Package depth	584 mm
Ports & interfaces		Package height	594 mm
Audio input	✓		

Ports & interfaces

Audio output	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2



4719331552404

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.