



AOC B3 24B3CF2 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black

Brand : AOC

Product family: B3

Product code: 24B3CF2

Product name : 24B3CF2

Screen size (inch) 23.8, Panel resolution 1920x1080, Max Refresh rate 120 Hz, Response time MPRT 1 ms, Panel type IPS, USB-C connectivity USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 65 W), HDMI HDMI 1.4 x 1, D-SUB (VGA) 0x, DVI 0x, Sync technology (VRR) Adaptive Sync
AOC B3 24B3CF2. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	Headphone connectivity	3.5 mm
Display resolution *	1920 x 1080 pixels	Microphone in	✗
HD type *	Full HD	Built-in KVM switch	✗
Native aspect ratio *	16:9	HDCP	✓
Display technology *	LED	HDCP version	1.4
Panel type *	IPS	Charging port type	USB Type-C
LED backlight	✓	AC (power) in	✓
Backlight type	W-LED	Mobile High-Definition Link (MHL)	✗
Touchscreen *	✗	Network	
Display brightness (typical)	250 cd/m²	Ethernet LAN	✗
Response time *	4 ms	Ergonomics	
Response time measurement type	GTG (Gray to Gray)	VESA mounting *	✓
Response time (MPRT)	1 ms	Panel mounting interface	100 x 100 mm
Anti-glare screen	✓	Cable lock slot *	✓
Screen shape *	Flat	Cable lock slot type	Kensington
Contrast ratio (typical) *	1500:1	Height adjustment *	✓
Contrast ratio (dynamic)	20000000:1	Adjustable height (max)	11 cm
Maximum refresh rate *	120 Hz	Pivot	✗
Viewing angle, horizontal	178°	Swivelling	✗
Viewing angle, vertical	178°	Tilt adjustment	✓
Display number of colours *	16.7 million colours	Tilt angle range	-5 - 23°
Pixel pitch	0.2745 x 0.2745 mm	On Screen Display (OSD)	✓
Pixel density	93 ppi		
Viewable size, horizontal	52.7 cm		
Viewable size, vertical	29.6 cm		
Display diagonal (metric)	60.5 cm		
High Dynamic Range (HDR) supported	✓		
DDC/CI	✓		

Display		Ergonomics	
Haze rate	25%	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, Dutch, English, Finnish, French, German, Italian, Japanese, Korean, Croatian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Ukrainian
Surface hardness	3H		
Colour gamut standard	Adobe RGB, DCI-P3, NTSC, sRGB		
sRGB coverage (typical)	102.5%		
NTSC coverage (typical)	89.4%		
Adobe RGB coverage	87.8%	Number of OSD languages	19
BT.2020 coverage	59.5%	Plug and Play	✓
DCI-P3 coverage	81.6%	LED indicators	Operation, Stand-by
Performance		Power	
Fast charging	✓	Energy efficiency class (SDR) *	E
Fast charging technology	Power Delivery	Energy efficiency class (HDR) *	E
VESA Adaptive Sync support	✓	Energy consumption (SDR) per 1000 hours *	18 kWh
Flicker-free technology	✓	Energy consumption (HDR) per 1000 hours *	18 kWh
Low Blue Light technology	✓	Power consumption (typical) *	30 W
Windows operating systems supported	Windows 10, Windows 11, Windows 8.1	Power consumption (standby) *	0.5 W
Multimedia		Power consumption (max)	130 W
Number of speakers	2	Power consumption (off)	0.3 W
RMS rated power	4 W	AC input voltage	100 - 240 V
Built-in speaker(s) *	✓	AC input frequency	50/60 Hz
Built-in microphone	✗	Power supply type	Internal
Built-in camera *	✗	Energy efficiency scale	A to G
Design		Weight & dimensions	
Market positioning *	Home	Width (with stand)	542.4 mm
Product colour *	Black	Depth (with stand)	229.8 mm
Frameless design	✓	Height (with stand)	469.9 mm
Front bezel colour	Black	Weight (with stand)	4.56 kg
Detachable stand	✓	Width (without stand)	542.4 mm
Feet colour	Black	Depth (without stand)	44.6 mm
Ports & interfaces		Height (without stand)	316.2 mm
Built-in USB hub *	✓	Weight (without stand)	3.04 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Packaging data	
USB upstream port type	USB Type-A	Package width	613 mm
USB Type-A downstream ports quantity	2	Package depth	162 mm
USB Type-C downstream ports quantity	1	Package height	519 mm
USB Type-C DisplayPort Alternate Mode	✓	Package weight	7.04 kg
USB Power Delivery (USB PD)	✓	Package type	Box
USB Power Delivery up to	65 W	Packaging content	
DVI port	✗	Stand included	✓
HDMI *	✓	Cables included	AC, HDMI, USB Type-C
HDMI ports quantity	1	Power adapter included	✓
HDMI version	1.4	HDMI cable length	1.5 m
Audio input	✗	Sustainability	
Headphone out *	✓	Doesn't contain	Mercury, PVC/BFR
Headphone outputs	1	Other features	
		Low input lag	✗
		Local dimming	✓
		RS-232 interface	✗
		Warranty period	3 year(s)
		Compliance certificates	CE
		Mean time between failures (MTBF)	30000 h
		Certification	WEEE, REACH compliant, RoHs compliant, CB, TUV-Bauart-Mark, ISO 9241-307, EAC, FCC
Technical details			
		Native refresh rate	60 Hz



4038986141437

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.