



ARCTIC Liquid Freezer III Pro 280 A-RGB (White) Процессор All-in-one liquid cooler 12 cm Белый 1 шт



Производитель : ARCTIC

Семейство продуктов: Liquid Freezer Код товара: ACFRE00187A

Модель : Liquid Freezer III Pro 280 A-RGB (White)

ARCTIC Liquid Freezer III Pro 280 A-RGB (White). Тип: All-in-one liquid cooler, Диаметр вентилятора: 12 cm, Воздушный поток: 186 m³/h, Тип подшипника: Fluid Dynamic Bearing (FDB). Ширина: 138 mm, Глубина: 317 mm, Высота: 68 mm. Цвет товара: Белый

Производительность		Дизайн	
Подходящее расположение *	Процессор	Светодиодная подсветка	✓
Тип *	All-in-one liquid cooler	Цвет освещения	Мульти
Диаметр вентилятора	12 cm	Тип разъема светодиода	3-контактный
Поддерживаемые сокет процессоров	LGA 1851, LGA 1700, Разъем AM4, Socket AM5	Коннектор вентилятора	4-контактный
Максимальный воздушный поток	110 cfm	Тип дисплея	Неприменимо
Воздушный поток	186 m³/h	Энергопитание	
Поддержка широтно-импульсной модуляции (ШИМ)	✓	Напряжение светодиодов	5 V
Тип подшипника	Fluid Dynamic Bearing (FDB)	Напряжение насоса	12 V
Разъем насоса	4-контактный	Сила тока насоса	350 mA
Количество в упаковке	1 шт	Напряжение вентилятора	12 V
Скорость двигателя насоса (мин)	800 RPM	Сила тока вентилятора	0,35 A
Скорость двигателя насоса (макс)	2800 RPM	Вес и размеры	
Скорость вращения вентилятора (мин)	400 RPM	Ширина	138 mm
Скорость вращения вентилятора (макс)	2500 RPM	Глубина	317 mm
статическое давление вентилятора	5,2 mmH2O	Высота	68 mm
Скорость вентилятора зоны VRM (мин.)	400 RPM	Ширина радиатора	13,8 cm
Скорость вентилятора зоны VRM (макс.)	2500 RPM	Глубина радиатора	31,7 cm
Диапазон температур при эксплуатации	0 - 40 °C	Высота радиатора	3,8 cm
Дизайн		Длина трубки	45 cm
Цвет товара *	Белый	Диаметр трубки	1,24 cm
Материал радиатора	Алюминий	Внутренний диаметр трубки	6 mm
Материал опорной плиты	Медный	Ширина насоса	9,1 cm
Количество вентиляторов	2 вентилятор(ы)	Глубина насоса	10,8 cm
Количество лопастей вентилятора	9	Высота насоса	6,85 cm
		Вес	1,9 kg
		Размеры вентилятора (Ш x Г x В)	140 x 140 x 27 mm
		Длина кабеля	0,04 m
		Ширина упаковки	170 mm
		Глубина упаковки	335 mm
		Высота упаковки	155 mm
		Масса брутто	2,31 kg

Содержимое упаковки	
Тип упаковки	Коробочная версия
Прочие свойства	
Страна производства	Hong Kong



4895265000331

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.